Cumulative Index 1983 and 1984

Volumes 1 and 2

Note: The year is in *italic* type.
The page numbers of symposia and article titles are in **boldface** type.

SYMPOSIA

1983

February	ARRHYTHMIAS I
May	ARRHYTHMIAS II
August	PEDIATRIC CARDIAC IMAGING
November	CHEST RADIOGRAPHY FOR THE CARDIOLOGIST

1984

February	PROGNOSIS AFTER MYOCARDIAL INFARCTION
May	CARDIOVASCULAR EMERGENCIES
August	CLINICAL EXERCISE TESTING
November	CARDIAC MORPHOLOGY

AAI pacemaker, *1983*: Feb., 95
AAT pacemaker, *1983*: Feb., 95
Activity(ies), energy cost for convalescent cardiac patients, *1984*: Aug., 408
Adriamycin, for noncardiac tumors, cardiotoxicity due to, *1984*: Nov., 665–667
Adult respiratory distress syndrome, corticosteroids for, *1984*: May, 193–194
  hemodynamic management in, *1984*: May, **287–304**
  radiographic appearance of, *1983*: Nov., 730, 732–733, 736, 738
  scintigraphic analysis of, *1983*: Nov., 742
Aerobic impairment, functional, *1984*: Aug., 312, 404
Aerobic power, maximal, *1984*: Aug., 404
Afterdepolarization, delayed, *1983*: Feb., 5–6
  triggered activity and, *1983*: Feb., 5–6
Airflow obstruction, mechanisms of, *1984*: Aug., 456
Airway, esophageal obturator, in CPR, *1984*: May, 154, 156
  opening of, in CPR, *1984*: May, 154–156
Ambulatory ECG monitoring, *1983*: May, **291–302**
  guide to antiarrhythmic therapy, *1983*: May, 298–299
  in cardiac patients, *1983*: May, 295–298
  in detection of transient ischemic attacks, *1984*: Aug., **441–448**. See also *Electrocardiography, ambulatory.*
  in normal population, *1983*: May, 294–295
  interpretation of, *1983*: May, 293–294
  types of, *1983*: May, 291–292
Amino acid metabolism, positron CT and, *1983*: Aug., 513
Amiodarone, for ventricular arrhythmias, *1983*: May, 263, 310, 313–314; *1984*: Feb., 36–37; May, 175–178, 180
AMP levels, ischemic zones and, *1983*: Feb., 54
Amyloid, deposits of, in normal elderly myocardium, *1984*: Nov., 760–761
Amyloidosis, cardiac, myeloma-associated, *1984*: Nov., 662–664
Anaerobic threshold, measurement of, *1984*: Aug., 405–408
  functional exercise testing in, *1984*: Aug., 410
  pulmonary exercise testing in, *1984*: Aug., 463
Aneurysm(s), aortic, *1983*: Nov., 640–651
  atherosclerotic, radiologic findings in, *1983*: Nov., 640
  dissecting, radiologic findings in, *1983*: Nov., 645, 649, 651
  dissecting aortic. See *Aortic dissection.*
  formation of, as complication of myocardial infarction, *1984*: Nov., 563–565
  left ventricular, after myocardial infarction, echocardiographic detection of, *1984*: Nov., 516, 517
  mycotic, radiologic findings in, *1983*: Nov., 641
  of sinus of Valsalva, radiologic findings in, *1983*: Nov., 641–645
  syphilitic, radiologic findings in, *1983*: Nov., 640–641
  ventricular, and myocardial infarction, radiographic appearance of, *1983*: Nov., 589, 594
    as complication of myocardial infarction, echocardiographic detection of, *1984*: Feb., 129–130
Angina pectoris, *1984*: Nov., 565–566
  after surgical reperfusion for myocardial infarction, classification of, *1984*: Feb., 118–119
  during exercise testing after myocardial infarction, prognosis and, *1984*: Feb., 73
  early morning, adaptive exercise testing for, *1984*: Aug., 410

Angina pectoris (*Continued*)
exercise testing in, *1984*: Aug., 339, 357
exertional, after myocardial infarction, prognosis and, *1984*: Feb., 107
prognosis after myocardial infarction and, *1984*: Feb., 71
stable, as cause of chest pain, *1984*: May, 259
unstable, as cause of chest pain, *1984*: May, 259
Angiography, angled, *1983*: Aug., **361–385**
axial, in critically ill infant, *1983*: Aug., **387–411**
contraindications to, *1983*: Aug., 388–389, 392
coronary. See *Coronary angiography*.
digital subtraction, *1983*: Aug., **413–425**
for diagnosis of acute aortic dissection, *1984*: May, 231, 232–233
radionuclide, choice of radionuclides for, *1983*: Aug., 436–437
clinical applications of, *1983*: Aug., 437–438
during exercise of heart. *1983*: Aug., 448, 449
equilibrium techniques of, *1983*: Aug., 443–446
exercise, in assessing coronary artery disease, *1984*: Aug., 373–375
first-pass method of, *1983*: Aug., 442–443
of shunts, *1983*: Aug., **427–439**
ventricular, contraindications to, *1983*: Aug., 388, 389, 392
Angioplasty, balloon, in congenital lesions in infants, complications of balloon rupture in, *1984*: Nov., 613–618
of aortic valve stenosis, in infants, and aortic wall damage, *1984*: Nov., 613–618
of aortocoronary saphenous vein bypass grafts, clinical and morphologic observations in, *1984*: Nov., 603–613
therapeutic implications for derived from morphologic observations, *1984*: Nov., 611–612
of coronary arteries, and aortocoronary saphenous vein bypass grafts and infant aortas, morphologic observations in, *1984*: Nov., **593–619**
mechanisms of, *1984*: Nov., 603, 604
of infant aortas, versus balloon angioplasty of adult coronary arteries, *1984*: Nov., 618
percutaneous transluminal coronary. See *Percutaneous transluminal coronary angioplasty*.
Angiotensin-converting enzyme inhibitors, for hypertensive crisis, *1984*: May, 222
Ankle-arm index, *1984*: Aug., 450
Annihilation coincidence detection and positron CT, *1983*: Aug., 502
Anomalies, adult, congenital aortic arch, *1983*: Nov., 664
Anterior chest wall syndrome, as cause of chest pain, *1984*: May, 265
Anteroposterior axial technique, *1983*: Aug., 369
Anthracycline, for noncardiac tumors, cardiotoxicity due to, *1984*: Nov., 665–667
Antiarrhythmic drugs. See also names of specific drugs.
adverse effects of, *1984*: May, 177
classification of, *1984*: May, 175
dosage of, *1984*: May, 177
effectiveness of, *1984*: May, 178
effect on exercise-induced S-T segment changes, *1984*: Aug., 351
electrocardiographic effect of, *1984*: May, 176
electrophysiologic effect of, *1984*: May, 176
electrophysiologic properties of, *1983*: May, 261–264
predictive factors of efficacy, *1983*: May, 269–270
investigational, for ventricular rhythm disturbances, *1984*: Feb., **35–46**
pharmacodynamics of, *1983*: May, 310
pharmacokinetics of, *1983*: May, 303–310
treatment of tachycardia with, *1983*: May, 241–246
Antiarrhythmic therapy, *1984*: May, 175–180
Anticoagulants, use of with mural thrombi, *1984*: Nov., 519
Anxiety, chest pain and, *1984*: May, 266
AOO pacemaker, *1983*: Feb., 94
Aorta, ascending, acute dissection of, echocardiographic detection of, *1984*: Feb., 131
position of, *1984*: Nov., 485, 490
coarctation of, radiologic findings in, *1983*: Nov., 666, 672
coronary arteries and, morphologic changes in during pregnancy, *1984*: Nov., 636
dissection of. See *Aortic dissection*.
infant, balloon angioplasty of, versus balloon angioplasty of adult coronary arteries, *1984*: Nov., 618
coronary arteries and aortocoronary saphenous vein bypass grafts and, after balloon angioplasty procedures, morphologic observations in, *1984*: Nov., **593–619**
in normal elderly heart, morphologic changes in, *1984*: Nov., 756, 762
wall of, in infants, damage to, from balloon angioplasty of aortic valve stenosis, *1984*: Nov., 613–618
Aortic aneurysm, *1983*: Nov., 640–651
Aortic arch, cervical, radiologic findings in, *1983*: Nov., 666
double, radiologic findings in, *1983*: Nov., 665–666
right-sided, *1983*: Nov., 704–705
radiologic findings in, *1983*: Nov., 664–665
Aortic dissection, acute, *1984*: May, **227–238**
causes of, *1984*: May, 227–230
diagnosis of, *1984*: May, 230–232
differential diagnosis of, *1984*: May, 233
prognosis of, *1984*: May, 235–236
treatment of, *1984*: May, 233–235
as cause of chest pain, *1984*: May, 264
classification of, *1984*: May, 228–229
clinical features of, *1984*: May, 230–232
use of CT for diagnosis of, advantages and pitfalls of, *1984*: Nov., 547, 549
Aortic regurgitation, and response to exercise, *1984*: Aug., 429
Aortic stenosis, and response to exercise, *1984*: Aug., 429
as cause of chest pain, *1984*: May, 262
calcific, as cause of atrioventricular block, *1984*: Nov., 748
subvalvular, radiologic findings in, *1983*: Nov., 627, 632
supravalvular, radiologic findings in, *1983*: Nov., 632–633
Aortic valve, contours of, echocardiographic determination of, *1984*: Nov., 520
disorders of, echocardiographic detection of, *1984*: Nov., 521, 524
injury to, from nonpenetrating chest trauma, *1984*: May, 249
porcine bioprosthetic, *1984*: Nov., 719
regurgitation of, *1983*: Nov., 634, 637, 640
pure, causes of, *1984*: Nov., 689, 700, 701, 705
stenosis of, *1983*: Nov., 613, 625–633
balloon angioplasty of, aortic wall damage and, *1984*: Nov., 613–618
bicuspid, *1983*: Nov., 625
causes of, *1984*: Nov., 689, 692–697, 698
radiologic findings in, *1983*: Nov., 625–627, 685–686
unicommissural, *1983*: Nov., 625
Aortic valve regurgitation, *1983*: Nov., 634, 637, 640
pure, causes of, *1984*: Nov., 689, 700, 701, 705

radiographic appearance of, *1983*: Nov., 614–616
Aortocoronary saphenous vein bypass grafts, balloon angioplasty of, clinical and morphologic observations in, *1984*: Nov., 603–613
therapeutic implications for derived from morphologic observations, *1984*: Nov., 611–612
coronary arteries and infant aortas and, following balloon angioplasty procedures, morphologic observations, *1984*: Nov., **593–619**
Aprindine, for ventricular arrhythmias, *1983*: May, 314–315; *1984*: Feb., 42–43; May, 175–178
ARDS. See *Adult respiratory distress syndrome.*
Arrhythmias. See also specific types of arrhythmias.
ambulatory ECG monitoring of, *1983*: May, **291–302**
cellular basis for, *1983*: Feb., **3–11**
clinical, and computers, *1983*: Feb., **121–137**
database management system and, *1983*: Feb., 122–125
drug therapy of, *1983*: May, **303–320**
impact on exercise testing, *1984*: Aug., **359–366**
inducibility of, *1983*: May, 280–281, 287–288
pacemaker-induced, *1983*: Feb., **93–108**
electrocardiogram, abnormal, *1983*: Feb., 98–106
pathologic basis of, *1983*: Feb., **13–37**
sinus, pathology of, *1983*: Feb., 16
supraventricular, exercise-induced, *184*: Aug., 361–362
surgical therapy of, *1983*: May, **321–338**
supraventricular tachycardias, *1983*: May, 328–329
ventricular tachycardia, *1983*: May, 329–333
Wolff-Parkinson-White syndrome, *1983*: May, 321–328
sympathetic tone and, *1983*: May, 166–169
symposium on, *1983*: Feb., **1–137**; May, **141–353**
ventricular. See *Ventricular arrhythmias.*
Arterial blood gases, evaluation by pulmonary exercise testing, *1984*: Aug., 464
Arterial occlusive disease, of leg, exercise testing in, *1984*: Aug., **449–454**
Arteriogram, normal pulmonary, *1983*: Nov., 549–550
Arteriography, coronary, exercise testing and, studies of, *1984*: Aug., 339–340
Arteriovenous oxygen difference, response to exercise, *1984*: Aug., 468
Artery(ies), coronary. See *Coronary artery(ies).*
great, transposition of, angled angiography of, *1983*: Aug., 382, 385
corrected, *1983*: Nov., 699–700
pulmonary. See *Pulmonary artery(ies).*
systemic collateral, as source of blood supply to pulmonary arteries, *1983*: Nov., 562–563
Atheromatous plaque, as cause of myocardial ischemia, *1984*: Nov., 555–556
Atherosclerosis, coronary. See *Coronary atherosclerosis.*
in heart transplant recipient, *1984*: Nov., 588
Atherosclerotic heart disease, pathophysiology of, *1984*: Nov., **555–569**
Atherosclerotic plaque, composition of, *1984*: Nov., 625
coronary, consequences of laser radiation of, *1984*: Nov., 624–626, 627, 628
heavily calcified, laser-resistant, *1984*: Nov., 625
pathogenesis of, *1984*: Nov., 556–557
Atrial fibrillation, *1983*: May, 236–237
and ventricular response, *1983*: May, 143–144
response to exercise testing, *1984*: Aug., 362
Atrial flutter, *1983*: May, 235
Atrial premature beats, on exercise testing, *1984*: Aug., 361
Atrial premature complex, *1983*: Feb., 64, 66,
Atrial septal defect, *1983*: Nov., 692–693
angled angiography of, *1983*: Aug., 378
pulmonary stenosis with, *1983*: Nov., 704
Atrial septum, four-chamber view of, *1983*: Aug., 392
status of, angled angiography of, *1983*: Aug., 378
Atrial tachycardia, exercise-induced, *1984*: Aug., 361
Atrioventricular block, acquired, *1984*: Nov., 744–750
clinical electrophysiology of, *1983*: May, **207–222**
congenital, *1984*: Nov., 741–744
diseases producing, *1983*: Feb., 24
due to calcific aortic stenosis, *1984*: Nov., 748
due to cardiac tumors, *1984*: Nov., 748, 749
due to chronic coronary insufficiency, *1984*: Nov., 745, 746
due to collagen disease, *1984*: Nov., 748
due to coronary disease, *1984*: Nov., 744–745
due to endocarditis, *1984*: Nov., 745, 748
first degree, *1983*: May, 208–210
His bundle and, *1983*: May, 209–210
histopathology of, *1983*: Feb., 25
idiopathic, *1984*: Nov., 744
in myocarditis, *1984*: Nov., 745, 747
Mobitz II, supernormal conduction in, *1983*: Feb., 84–85
pathology of, *1984*: Nov., **741–751**
second degree, *1983*: May, 210–215
level of, *1983*: May, 211–214
techniques for assessing, *1983*: May, 218–219
type II block, *1983*: May, 211
Wenckebach block, *1983*: May, 210–211
site of lesions, *1983*: Feb., 25
supernormal conduction and, *1983*: Feb., 88–89
surgical, *1984*: Nov., 748, 750
third degree, *1983*: May, 215, 217
traumatic, *1984*: Nov., 750
type I, *1983*: May, 210–211
type II, *1983*: May, 211
with bundle branch block, in myocardial infarction, *1984*: Feb., 31
without bundle branch block, in myocardial infarction, *1984*: Feb., 30
Atrioventricular bundle, interruption of, *1984*: Nov., 741, 743
Atrioventricular canal, persistent, *1983*: Nov., 694, 696
common, angled angiography of, *1983*: Aug., 375–378
Atrioventricular conduction abnormalities, exercise-induced, *1984*: Aug., 362
in acute myocardial infarction, *1984*: Feb., **29–34**
pacing for, *1984*: Feb., 32–33
Atrioventricular junction anomalies, right atriography and four-chamber projection of, *1983*: Aug., 396
Atrioventricular node, anatomic considerations, *1983*: Feb., 22
conduction defects involving, as complication of myocardial infarction, *1984*: Feb., 86–87
Atrioventricular septal defect, four-chamber view of, *1983*: Aug., 393
Atrioventricular valves, status of, angled angiography of, *1983*: Aug., 377
Atrium(a), lack of connection with peripheral conduction system, *1984*: Nov., 741, 742
left, enlargement of, radiographic appearance of, *1983*: Nov., 597–602
in normal elderly heart, morphologic changes in, *1984*: Nov., 754–756, 757, 761
position of, *1984*: Nov., 485, 487–488
size of, echocardiographic determination of, *1984*: Nov., 509–510, 511–513
Atrophy, brown, in normal elderly heart, *1984*: Nov., 760
Automaticity, in sinus and AV node, *1983*: Feb., 3
sympathetic neural influences and, *1983*: Feb., 55
AV alternans, *1983*: Feb., 64, 66
AV block. See *Atrioventricular block.*
AV node. See *Atrioventricular node.*

Back blow, for choking, *1984*: May, 158
Balloons, counterpulsation, intra-aortic, *1983*: Nov., 720
  complications with, *1983*: Nov., 721
  function of, *1983*: Nov., 720
Bayes' theorem, review of, *1984*: Aug., **319–328**
Beta-adrenergic blocking agents, effect on exercise-induced S-T segment changes, *1984*: Aug., 352
Beta-blockers, after myocardial infarction, patient selection for, *1984*: Feb., 18
  for ventricular arrhythmias, *1984*: May, 175–178, 179–180
  in treatment of patients after myocardial infarction, *1984*: Feb., **13–20**
Bicuspid aortic valve, stenosis of, *1983*: Nov., 625
Biologic tissue, effects of laser energy on, *1984*: Nov., 623–630
Bioprosthesis(es), cardiac valve. See *Cardiac valve(s), bioprosthetic*.
Biopsy, endomyocardial. See *Endomyocardial biopsy*.
Blalock shunt, *1983*: Nov., 702
Blood flow, in CPR, new mechanisms of, *1984*: May, 157
Blood gases, arterial, evaluation by pulmonary exercise testing, *1984*: Aug., 464
Blood pressure, during exercise testing after myocardial infarction, prognosis and, *1984*: Feb., 72
  in response to exercise, *1984*: Aug., 312
  in response to exercise testing, *1984*: Aug., 314, 355–356
Bradyarrhythmias, *1983*: Feb., 7
  in acute myocardial infarction, pacing for, *1984*: Feb., 33
Bradycardia, sinus, pathology of, *1983*: Feb., 16
Breathing, rescue, *1984*: May, 156–157
Bretylium, for ventricular arrhythmias, *1984*: May, 175–178, 180
Bretylium tosylate, for ventricular fibrillation, *1984*: May, 160
Brown atrophy, in elderly heart, *1984*: Nov., 760
Bundle branch(es), anatomy of, *1984*: Feb., 29–30
  interruption of, *1984*: Nov., 741, 743–744
Bundle branch block, as complication of myocardial infarction, *1984*: Feb., 87–88
  atrioventricular block with, in myocardial infarction, *1984*: Feb., 31
  atrioventricular block without, in myocardial infarction, *1984*: Feb., 30
  effect on S-T segment depression in exercise testing, *1984*: Aug., 365
  in myocardial infarction, *1984*: Feb., 30–31
  left, concealed conduction in, *1983*: Feb., 70
  pathology of, *1983*: Feb., 26
  right, concealed conduction in, *1983*: Feb., 71
  supernormal conduction in, *1983*: Feb., 81, 83
Bundle of His, interruption of, *1984*: Nov., 741, 743

Calcification, as cause of bioprosthetic cardiac valve failure, *1984*: Nov., 729–735
  coronary artery, imaging of, *1983*: Nov., 575–584
    in aymptomatic patient, significance of, *1983*: Nov., 579, 581–582
    in symptomatic patient, significance of, *1983*: Nov., 582–584
  in hearts aged 90 years or more, *1984*: Nov., 758–760, 764–765, 767, 773
  mitral valve and, *1983*: Nov., 608
Calcium, deposits of, in coronary arteries, *1984*: Nov., 587
  in CPR, *1984*: May, 159
Calcium-channel blockers, effect on exercise-induced S-T segment changes, *1984*: Aug., 352
Carcinoid heart disease, *1984*: Nov., 664–665
Carcinoma(s). See *Neoplasm(s)* and *Tumor(s)*.
Cardiac. See also entries under *Heart*.
Cardiac amyloidosis, myeloma-associated, *1984*: Nov., 662–664
Cardiac arrest. See also *Sudden cardiac death*.
  defibrillation for, *1984*: May, 160
  electrophysiologic observations of survivors of, *1983*: May, **285–289**
    serial drug testing, *1983*: May, 287, 288
    types of arrhythmias in response to programmed stimulation, *1983*: May, 286–287, 288
  sodium bicarbonate for, *1984*: May, 159–160
Cardiac catheterization, after myocardial infarction, indications for, *1984*: Feb., 105–106
  dynamic exercise testing during, *1984*: Aug., 471
  identification of candidates for, *1984*: Feb., 108–110
  in infective endocarditis, *1984*: May, 205
  role of, after myocardial infarction, *1984*: Feb., **105–111**
Cardiac conduction, abnormalities of. See *Conduction abnormalities*.
Cardiac death, sudden. See *Sudden cardiac death*.
Cardiac dissection, methods of, *1984*: Nov., 490–506
    cardiac-base, *1984*: Nov., 491, 492
    comparison of, *1984*: Nov., 496, 506
    inflow-outflow, *1984*: Nov., 491
    tomographic, *1984*: Nov., 492–496, 497–505
      four-chamber, *1984*: Nov., 494, 495
      frontal, *1984*: Nov., 496, 497
      left ventricular long-axis, *1984*: Nov., 494–495
      left ventricular two-chamber, *1984*: Nov., 495
      oblique, *1984*: Nov., 496, 498
      parasagittal, *1984*: Nov., 496, 497
      right ventricular, *1984*: Nov., 495, 496
      short-axis, *1984*: Nov., 493, 494
      transverse, *1984*: Nov., 495–496, 497
    ventricular-slice, *1984*: Nov., 491, 492
    window, *1984*: Nov., 491–492, 493
Cardiac drugs, effect on radionuclide angiography, *1984*: Aug., 375
Cardiac infections, bacterial, in immunocompromised host, *1984*: Nov., 672–680
  fungal, in immunocompromised host, *1984*: Nov., 680–683
  in cardiac transplant patients, *1984*: Nov., 683
  in children, *1984*: Nov., 673
  in immunocompromised host, *1984*: Nov., **671–686**
Cardiac injury(ies). See also *Cardiac trauma*.
  acute pericardial tamponade in, *1984*: May, 240–243
  nonpenetrating, *1984*: May, 247–255
    classification of, *1984*: May, 247, 248
    diagnosis of, *1984*: May, 248–253
    management of, *1984*: May, 253–255
  penetrating, *1984*: May, 239–247
    cardiorrhaphy for, *1984*: May, 239, 240, 244, 246–247
    diagnosis of, *1984*: May, 243
    early thoracotomy for, *1984*: May, 246
    exsanguination in, *1984*: May, 243
    management of, *1984*: May, 243–247
    pericardiocentesis for, *1984*: May, 239–240, 244–246
Cardiac lesions, congenital, in infants, balloon angioplasty in, complications of balloon rupture in, *1984*: Nov., 613–618
  pheochromocytoma-induced, *1984*: Nov., 662
Cardiac morphology, symposium on, *1984*: Nov., **485–779**
Cardiac output, Doppler estimates of, *1983*: Aug., 495–496
  in response to exercise, *1984*: Aug., 467–468
Cardiac pacing, effect on exercise testing, *1984*: Aug., 365
  treatment of tachycardia and, *1983*: May, 246–247
Cardiac performance, echocardiographic evaluation of, *1982*: Aug., **487–499**

Cardiac rehabilitation, *1984*: Feb., **63–69**
Cardiac rupture, from nonpenetrating chest trauma, *1984*: May, 248–249
Cardiac situs connections, ultrasonic diagnosis of, *1983*: Aug., **473–486**
Cardiac skeleton, left side of, sclerosis of, as cause of AV block, *1984*: Nov., 744
Cardiac surgery, AV block due to, *1984*: Nov., 748, 750
coronary artery dissection as complication of, *1984*: Nov., 642–643
infective endocarditis after, *1984*: Nov., 672–673
Cardiac tamponade, as complication of acute myocardial infarction, *1984*: May, 166
Cardiac transplant patients, cardiac infections in, *1984*: Nov., 683
Cardiac trauma. See also *Cardiac injury(ies)*.
acute, management of, *1984*: May, **239–256**
Cardiac valve(s). See also specific valves.
bioprosthetic, calcification of, pathophysiology of, *1984*: Nov., 730–732, 733
prevention of, *1984*: Nov., 732, 734
clinical results with, *1984*: Nov., 720–722
degeneration of, *1984*: Nov., 725, 727, 728–729
evolution of, *1984*: Nov., 717–719
failure of, causes of, *1984*: Nov., 724–734
due to calcification, *1984*: Nov., 729–735
due to degenerative phenomena, *1984*: Nov., 725, 727, 728–729
mechanical, *1984*: Nov., 724
pathology and pathogenesis of, *1984*: Nov., **717–739**
infective endocarditis with, *1984*: Nov., 725, 726, 727
interrelationships among mechanical stress and collagen degeneration and calcification in, *1984*: Nov., 734–735
mineral deposits in, morphology of, *1984*: Nov., 729–730
preimplantation and postimplantation morphologic changes in, *1984*: Nov., 723–724
state of the art, *1984*: Nov., 719–720
thromboembolic complications with, *1984*: Nov., 724–725
contours of, echocardiographic determination of, *1984*: Nov., 520, 521
in normal elderly heart, morphologic changes in, *1984*: Nov., 756–757, 761–762
operatively excised, evaluation of, etiologic determination of valvular heart disease and, *1984*: Nov., **687–716**
prosthetic, endocarditis and, treatment of, *1984*: May, 207, 208–209
purely regurgitant, causes of, *1984*: Nov., 689, 700–715
replacement of, in infective endocarditis, *1984*: May, 208–209
stenotic, causes of, *1984*: Nov., 689, 692–700
stenotic and purely regurgitant, morphologic determination of, *1984*: Nov., 688
Cardiocirculatory performance, radionuclide studies of, *1983*: Aug., **441–455**
Cardiogenic shock, after acute myocardial infarction, differential diagnosis of, *1984*: May, 165–166
as complication of myocardial infarction, *1984*: Feb., 81–85
due to left ventricular dysfunction, management of, *1984*: May, 167–168
pathologic anatomy of, *1984*: Feb., 83
pump failure and, after acute myocardial infarction, *1984*: May, 165–168
radiographic appearance of, *1983*: Nov., 588
Cardiokymography, sensitivity and specificity of, *1984*: Aug., 325
Cardiomyopathy(ies), analysis of by tomographic cardiac dissection, *1984*: Nov., 501
hypertrophic, as cause of chest pain, *1984*: May, 262–263
ischemic, *1984*: Nov., 566, 567
Cardiopulmonary resuscitation, *1984*: May, **153–162**
advances in, *1984*: May, 154–159
blood flow in, new mechanisms of, *1984*: May, 157
calcium in, *1984*: May, 159
educational programs in, *1984*: May, 153–154
impedance, *1984*: May, 157
pharmacotherapy in, *1984*: May, 159–161
pulmonary embolism and, *1984*: May, 159
rib fractures in, *1984*: May, 158–159
Cardiorespiratory fitness, classification of, *1984*: Aug., 406
Cardiorrhaphy, for penetrating cardiac injuries, *1984*: May, 239, 240, 244, 246–247
Cardiorrhexis, as complication of myocardial infarction, *1984*: Feb., 85–86
Cardiotoxicity, of chemotherapy for noncardiac tumors, *1984*: Nov., 665–667
Cardiovascular disease, in hearts 90 years old or older, *1984*: Nov., 768–778
Cardiovascular function, evaluation of, exercise testing in, *1984*: Aug., **409–413**
Cardiovascular monitoring, in pulmonary edema, *1984*: May, 193
Cardiovascular observations, in necropsy patients aged 90 to 101 years, *1984*: Nov., 762–768
Cardiovascular system, adaptation to endurance exercise training and, *1984*: Feb., 64–66
Cardioversion, transvenous, tachyarrhythmia and, *1983*: May, 342–343, 346–352
Catecholamines, high levels of, *1983*: Feb., 51–52
Catheterization, coronary, as cause of coronary artery dissection, *1984*: Nov., 640–642
Catheters, central venous, positioning of, radiologic assessment of, *1983*: Nov., 711, 713
complications of, radiologic assessment of, *1983*: Nov., 713–715
intra-arterial pressure, *1983*: Nov., 720–721
Swan-Ganz, how to insert, *1983*: Nov., 715
complications of, *1983*: Nov., 715–717
Cerebrovascular accidents, hypertension and, *1984*: May, 214–215
Chemotherapy, for noncardiac tumors, cardiotoxicity due to, *1984*: Nov., 665–667
Chest pain, acute, differential diagnosis and clinical approach to, *1984*: May, **257–268**
anginal, early morning, adaptive exercise testing for, *1984*: Aug., 40
exercise testing in, *1984*: Aug., 339, 357
anxiety and, *1984*: May, 266
cardiac causes of, *1984*: May, 259–264
depression and, *1984*: May, 266
gastrointestinal causes of, *1984*: May, 264–265
musculoskeletal causes of, *1984*: May, 265
neurovascular causes of, *1984*: May, 265–266
psychologic factors in, *1984*: May, 266
pulmonary causes of, *1984*: May, 265
radicular, *1984*: May, 265
reproduction on exercise testing, *1984*: Aug., 357–358
types of, probability of coronary artery disease and, *1984*: Aug., 315
Chest thrust, for choking, *1984*: May, 157–158
Chest tube, positioning of, radiologic assessment of, *1983*: Nov., 724–725
Chin lift, for airway opening in CPR, *1984*: May, 154, 155
Choking, maneuvers for treatment of, *1984*: May, 157–158
universal sign of, *1984*: May, 158

Chordae tendineae, injury to, from nonpenetrating chest trauma, *1984*: May, 249
Cibenzoline, antiarrhythmic efficacy of, *1983*: May, 318–319
Cineangiography, axial, *1983*: Aug., **361–385**
Circulation, arrested, artificial support of, pulmonary mechanics and, *1984*: May, **277–286**
CK. See *Creatine kinase*.
CK-MB, estimation of infarct size by, left ventricular dysfunction and prognosis and, *1984*: Feb., 99
Claudication, intermittent, clinical features of, *1984*: Aug., 449
Clonidine, oral, for hypertensive crisis, *1984*: May, 222–223
Clonidine withdrawal syndrome, *1984*: May, 217
Coarctation, aortic, radiologic findings in, *1983*: Nov., 666, 672, 687
  figure "3" and, *1983*: Nov., 672, 687
  rib notching and, *1983*: Nov., 666, 687
 pseudo, aortic, radiologic findings in, *1983*: Nov., 672
Collagen disease, as cause of AV block, *1984*: Nov., 748
Colon, splenic flexure of, distention of, as cause of chest pain, *1984*: May, 264–265
Computed tomography, detection of cardiac neoplasms by, *1984*: Nov., 541–546, 547
  diagnosis of pericardial heart disease by, *1984*: Nov., 531–546, 547
  differentiation of constrictive pericarditis from restrictive cardiomyopathy by, *1984*: Nov., 537
  differentiation of pericardial fluid from subepicardial fat by, compared with echocardiography, *1984*: Nov., 533–536
  for detection and evaluation of ischemic heart disease, *1984*: Nov., 546–547
  for detection of intracavitary thrombus, *1984*: Nov., 549, 551
  for detection of pericardial fluid, compared with echocardiography, *1984*: Nov., 539–541
  for diagnosis of aortic dissection, advantages and pitfalls of, *1984*: Nov., 547, 549
  for evaluation of cardiocirculatory function, *1983*: Aug., **457–471**
    contrast medium and, *1983*: Aug., 458–459
  for measurement of pericardial thickening, *1984*: Nov., 536–539, 540
  for monitoring patency of coronary artery bypass grafts, *1984*: Nov., 547, 549, 550
  gated, *1983*: Aug., 459–462
  necropsy and, for diagnosis of cardiac neoplasms simulating pericardial effusion on echocardiograms, *1984*: Nov., 545, 546, 547, 548
  of cardiac tumors, *1983*: Aug., 464
  of great vessels and venous structures, *1983*: Aug., 462–464
  of heart, *1984*: Nov., **531–553**
  of intracardiac shunts, *1983*: Aug., 464
  of pericardial abnormalities, *1983*: Aug., 464, 468
Computers, arrhythmias and, *1983*: Feb., **121–137**
    clinical use, *1983*: Feb., 134–135
    monitoring, *1983*: Feb., 125–126
    problems in, *1983*: Feb., 126–130, 133–134
    recognition of, *1983*: Feb., 125
Conduction, concealed, *1983*: Feb., **63–74**
    atrial tachycardia, *1983*: Feb., 64–66
    delayed, atrioventricular, *1983*: Feb., 64–68
    types of, *1983*: Feb., 64
  supernormal, in normal cardiac tissues, *1983*: Feb., 77, 80
    mechanisms of, *1983*: Feb., 89, 90
  sympathetic neural influences and, *1983*: Feb., 55
Conduction abnormalities, atrioventricular, exercise-induced, *1984*: Aug., 362
  exercise testing with, in asymptomatic subjects, *1984*: Aug., 425
  impact on exercise testing, *1984*: Aug., **359–366**
  intraventricular, exercise-induced, *1984*: Aug., 362–365
Conduction defects, as complication of myocardial infarction, *1983*: Feb., 86–90
Conductivity, depressed region of, *1983*: Feb., 39, 40
Congenital anomalies, in infants, balloon angioplasty of, complications of balloon rupture in, *1984*: Nov., 613–618
Congenital heart disease, adult, radiography of, *1983*: Nov., 685–709
  analysis of by tomographic cardiac dissection, *1984*: Nov., 502
Contusion, myocardial, from nonpenetrating chest trauma, *1984*: May, 250–253
Convolution, shunting quantitation and, *1983*: Aug., 434
Coronary angiography, accuracy of, necropsy studies for assessment of, *1983*: Nov., 571–580
  morphologic correlation with, *1984*: Nov., **571–592**
Coronary angioplasty, percutaneous transluminal. See *Percutaneous transluminal coronary angioplasty*.
Coronary arteriography, exercise testing and, studies of, *1984*: Aug., 339–340
Coronary artery(ies), adult, balloon angioplasty of, versus balloon angioplasty of infant aortas, *1984*: Nov., 618
  anatomy of, relevance to coronary atherosclerosis and its treatment, *1984*: Nov., 557
  angiographically normal, and congenital anomalies on necropsy, *1984*: Nov., 582–583
  angiographic and morphologic correlation in, *1984*: Nov., **571–592**
  angiography of. See *Coronary angiography*.
  aorta and, morphologic changes in during pregnancy, *1984*: Nov., 636
  aortocoronary saphenous vein bypass grafts and infant aortas and, following balloon angioplasty procedures, morphologic observations in, *1984*: Nov., **593–619**
 atherosclerosis of. See *Coronary atherosclerosis*.
  balloon angioplasty of, mechanisms of, *1984*: Nov., 603, 604
  calcific deposits in, *1984*: Nov., 587
  catheterization of, as cause of coronary artery dissection, *1984*: Nov., 640–642
  continuity between, on angiography, *1984*: Nov., 587–588
  echocardiographic visualization of, *1984*: Nov., 527, 528
  injury to, from nonpenetrating chest trauma, *1984*: May, 249–250
  laser recanalization of, results of, *1984*: Nov., 624
  left, anomalous, *1983*: Nov., 697
  left main, angiographic and morphologic correlation in, *1984*: Nov., 574, 576–578
  major epicardial, in very elderly individuals, morphologic changes in, *1984*: Nov., 758–760, 762
  myocardial bridges and, angiographic and morphologic correlation in, *1984*: Nov., 588
  narrowing of, due to mediastinal radiotherapy, *1984*: Nov., 668
  normal, chest pain and, *1984*: May, 262
  right, anomalous origin of from left sinus of Valsalva, *1984*: Nov., 583, 584
  spasm of, angiographic and morphologic correlation in, *1984*: Nov., 580–582
    as cause of chest pain, *1984*: May, 261–262
Coronary artery bypass grafts, patency of, monitoring of with CT, *1984*: Nov., 547, 549, 550

Coronary artery bypass surgery, assessment of, exercise radionuclide angiography in, *1984*: Aug., 374–375
exercise thallium-201 scintigraphy in, *1984*: Aug., 372
Coronary artery disease, cardiac response to exercise in, *1984*: Aug., 429
chest pain and, *1984*: Aug., 315
chest radiography and cardiac fluoroscopy in, *1983*: Nov., **575–595**
exercise echocardiography in, *1984*: Aug., 432
exercise electrocardiography in, *1984*: Aug., 367
angina during, *1984*: Aug., 415
exercise-induced ventricular arrhythmias and, *1984*: Aug., 359–360
exercise radionuclide angiography in, *1984*: Aug., 373–375
exercise testing in, invasive, *1984*: Aug., 472–476
radionuclide, *1984*: Aug., **367–378**
selecting tests and patients for, *1984*: Aug., 375
response to, *1984*: Aug., 338
exercise thallium-201 scintigraphy in, *1984*: Aug., 368–373
prognostic use of, *1984*: Aug., 371
exercise training in, principles of, *1984*: Feb., 66–68
likelihood of before and after exercise testing, *1984*: Aug., 322
multivessel, predictive value of low level exercise testing in, *1984*: Aug., 381–383
role of digitalis in, *1984*: Feb., **135–146**
S-T segment responses in, *1984*: Aug., 313–314
Coronary artery dissections(s), *1984*: Nov., **633–646**
angiographic and morphologic correlation in, *1984*: Nov., 588, 589
as complication of cardiac surgery, *1984*: Nov., 642–643
catheter-induced, *1984*: Nov., 640–642
management of, *1984*: Nov., 642
due to percutaneous transluminal coronary angioplasty, *1984*: Nov., 643–644
in Marfan's syndrome, *1984*: Nov., 638–640
role of eosinophils in causing, *1984*: Nov., 636–637
spontaneous, *1984*: Nov., 633–638, 639
Coronary artery obstructive disease, as cause of chest pain, *1984*: May, 259–261
Coronary atherosclerosis, acute myocardial infarction and, *1984*: May, 163
after angioplasty, clinical and morphologic observations in, *1984*: Nov., 593–603
in hearts aged 90 years or more, *1984*: Nov., 765, 767, 771, 773, 775–776
laser radiation of, effects of on underlying vascular wall, *1984*: Nov., 626–627, 628
laser revascularization in, long-term healing response to, *1984*: Nov., 627, 629
morphology of, effects of laser radiation on, *1984*: Nov., **621–631**
myocardial ischemia and, *1984*: Nov., 557–558
pathogenesis of, *1984*: Nov., 555–557
Coronary disease, as cause of AV block, *1984*: Nov., 744–745
Coronary heart disease, sudden cardiac death and, *1984*: May, 174
Coronary insufficiency, chronic, as cause of AV block, *1984*: Nov., 745, 746
Coronary risk factors, effect of endurance exercise training on, *1984*: Feb., 66
Corticosteroids, for ARDS, *1984*: May, 193–194
CPR. See *Cardiopulmonary resuscitation*.
Creatine kinase, estimation of infarct size by, *1984*: Feb., 22–24
left ventricular dysfunction and prognosis and, *1984*: Feb., 96–99
CT. See *Computed tomography*.
Cyanosis, induced by heart disease, *1983*: Nov., 700–704
Cyclophosphamide, for noncardiac tumors, cardiotoxicity due to, *1984*: Nov., 667

Database management system, and arrhythmias, *1983*: Feb., 122–125
DC cardioversion, treatment of tachycardia and, *1983*: May, 247
DDD pacemaker, *1983*: Feb., 98
Death, sudden cardiac. See *Sudden cardiac death*.
Deconvolution, shunting quantitation and, *1983*: Aug., 434–435
Defibrillation, for cardiac arrest, *1984*: May, 160
Depression, chest pain and, *1984*: May, 266
Dextrocardia, contraindication to axial angiogram of, *1983*: Aug., 389
Diagnoses, valid proof of, *1984*: Nov., 647–648
Diazoxide, for hypertensive crisis, *1984*: May, 218, 221–222
Diffuse interstitial lung disease, radiographic patterns of, *1983*: Nov., 738–740
Digitalis, effect on exercise-induced S-T segment changes, *1984*: Aug., 351
role of, in coronary artery disease, *1984*: Feb., **135–146**
Digoxin, for pulmonary edema, *1984*: May, 189
Disopyramide, for ventricular arrhythmias, *1984*: May, 175–178
ventricular tachycardia and, *1983*: May, 263
Dissecting aneurysm, radiologic findings in, *1983*: Nov., 645, 649, 651
Diuretics, effect on exercise-induced S-T segment changes, *1984*: Aug., 351
for pulmonary edema, *1984*: May, 189
Dobutamine,, for pulmonary edema, *1984*: May, 189–190
Dopamine, for pulmonary edema, *1984*: May, 190
Doxorubicin, for noncardiac tumors, cardiotoxicity due to, *1984*: Nov., 665–667
Drainage tubes, mediastinal, *1983*: Nov., 725
Drug abuse, intravenous, bacterial endocarditis with, *1984*: Nov., 672
Drug interactions, hypertensive crisis and, *1984*: May, 217
Drugs. See specific agents and types of drugs.
for hypertensive emergencies, *1984*: May, 218–223
DVI pacemaker, *1983*: Feb., 97
Dynamic compliance, monitoring of, in pulmonary edema, *1984*: May, 193
Dynamic spatial reconstructor, *1983*: Aug., 468
Dyssynergy, remote, after myocardial infarction, echocardiographic detection of, *1984*: Feb., 127

Ebstein's anomaly, tricuspid valve and, *1983*: Nov., 703–704
Echocardiography, apical four-chamber plane, *1983*: Aug., 474–479
assessments with, *1984*: Nov., 509–521
cardiac neoplasms simulating pericardial effusion on, *1984*: Nov., 545, 546, 547, 548
clinical, in acquired heart disease, *1984*: Nov., **507–529**
contrast, *1984*: Nov., 521, 527, 528
detection of aortic and mitral valve disorders with, *1984*: Nov., 521, 524–526
determination of cardiac chamber size with, *1984*: Nov., 509–510, 511–513

Echocardiography (*Continued*)
determination of cardiac motion with, *1984*: Nov., 511, 516
determination of left ventricular function with, prognostic indicators based on, *1984*: Nov., 520
determination of wall thickness and contractile function with, *1984*: Nov., 510, 513
differentiation of pericardial fluid from subepicardial fat by, compared with CT, *1984*: Nov., 533–536
Doppler, *1984*: Feb., 123–124, 132; Nov., 528
during isometric exercise, *1984*: Aug., 437–438
evaluation of cardiac performance by, *1983*: Aug., 487–499
exercise, *1984*: Aug., **429–439**
M-mode, dynamic, *1984*: Aug., 432–434
two-dimensional, *1984*: Aug., 434–437
for detection of complications of myocardial infarction, *1984*: Feb., 128–131; Nov., 516–520
for detection of pericardial fluid, compared with CT, *1984*: Nov., 539–541
for detection of remote dyssynergy after myocardial infarction, *1984*: Feb., 127
for detection of right ventricular involvement in myocardial infarction, *1984*: Feb., 128
for detection of ventricular septal defects and mitral regurgitation, *1984*: Feb., 82
for determination of hemodynamic and global left ventricular function, *1984*: Nov., 519–520
for determination of pericardial effusion, *1984*: Nov., 520–521, 522–523
for determination of valve contours, *1984*: Nov., 520, 521
for diagnosis of acute aortic dissection, *1984*: May, 232
for diagnosis of myocardial infarction, *1984*: Feb., 125–126
for evaluation of left ventricular function in myocardial infarction, *1984*: Feb., 126–127
future applications of, *1984*: Feb., 132
in infective endocarditis, *1984*: May, 204–205
in myocardial infarction, *1984*: Nov., 510–511, 514–515
acute, *1984*: Feb., **123–134**
limitations of, *1984*: Feb., 131–132
in myocardial ischemic syndromes, *1984*: May, 261
M-mode, *1984*: Feb., 123–124; Nov., 509
in acute myocardial infarction, *1984*: Feb., 131
parasternal long-axis plane, *1983*: Aug., 483
parasternal short-axis plane, *1983*: Aug., 479, 483
prognosis after myocardial infarction and, *1984*: Feb., 127
subcostal four-chamber view, *1983*: Aug., 473, 474
suprasternal planes, *1983*: Aug., 483, 484
technique of, *1984*: Nov., 507–509
two-dimensional, *1984*: Feb., 123–124; Nov., 507–509
visualization of coronary arteries with, *1984*: Nov., 527, 528
Eclampsia, *1984*: May, 216
Ectopy, ventricular, clinical presentation of, *1984*: May, 173
Edema, pulmonary. See *Pulmonary edema.*
Eisenmenger's complex, *1983*: Nov., 697–698
radiologic findings in, *1983*: Nov., 698
Eisenmenger's syndrome, *1983*: Nov., 561
vs. "defect" or "complex," *1983*: Nov., 561
Electrical instability, prognosis after myocardial infarction and, *1984*: Feb., 71–72
Electrocardiogram, in response to exercise, *1984*: Aug., 312. See also *Electrocardiography, exercise.*
12-lead, Mason-Likar modification for exercise testing, *1984*: Aug., 329
Electrocardiographic studies, correlative, in myocardial infarction, *1984*: Feb., **47–62**
Electrocardiography, ambulatory, after myocardial infarction, role of, *1984*: Feb., 3–5
for assessment of risk of sudden cardiac death, *1984*: May, 175–176
in detection of transient ischemic attacks, *1984*: Aug., **441–448**
sick sinus syndrome and, *1983*: May, 189
S-T segment changes recorded by, *1984*: Aug., 443–445
technical aspects of, *1984*: Aug., 443
vs. exercise testing, for detection of ventricular ectopic polarizations, *1984*: Feb., 6–7
exercise, angina during, prediction of coronary artery disease and, *1984*: Aug., 415
asymptomatic, prevalence of, *1984*: Aug., 418
computer processing of, *1984*: Aug., 316–317
in coronary artery disease, *1984*: Aug., 367
predischarge, after myocardial infarction, *1984*: Aug., **379–390**
sensitivity of, *1984*: Aug., 371
in infective endocarditis, *1984*: May, 204
in myocardial ischemic syndromes, *1984*: May, 260–261
Electrophysiologic studies, for assessment of risk of sudden cardiac death, *1984*: May, 175
Electrophysiologic testing, after myocardial infarction, *1984*: Feb., 7–10
Electrotonic current, *1983*: Feb., 39
and pacemaker, *1983*: Feb., 45–46
Embolism, pulmonary. See *Pulmonary embolism.*
Emboli, pulmonary tumor, cardiac effects of, *1984*: Nov., 659–660
Emergency cardiac care, advances in, *1984*: May, 159–161
Encainide, antiarrhythmic effects of, *1983*: May, 315–316
for ventricular arrhythmias, *1984*: Feb., 38–39; May, 175–178, 179
ventricular tachycardia and, *1983*: May, 263–264
Encephalopathy, hypertensive, *1984*: May, 213–214
Endocarditis, as cause of AV block, *1984*: Nov., 745, 748
bacterial, with intravenous drug abuse, *1984*: Nov., 672
due to gram-negative enteric bacilli, treatment of, *1984*: May, 207
due to *Staphylococcus aureus*, treatment of, *1984*: May, 206
due to *Staphylococcus epidermidis*, treatment of, *1984*: May, 206–207
enterococcal, treatment of, *1984*: May, 206
fungal, treatment of, *1984*: May, 207
infective, acute, *1984*: May, **201–210**
after cardiac surgery, *1984*: Nov., 672–673
bacterial etiology of, *1984*: May, 203–204
clinical manifestations of, *1984*: May, 202
microbiology of, *1984*: May, 202–204
pathogenesis of, *1984*: May, 201–202
treatment of, *1984*: May, 205–209
with bioprosthetic cardiac valves, *1984*: Nov., 725, 726, 727
nonbacterial thrombotic, association with noncardiac neoplasms, *1984*: Nov., 660–662
prosthetic valve, treatment of, *1984*: May, 207, 208–209
streptococcal, penicillin-resistant, *1984*: May, 206
penicillin-sensitive, treatment of, *1984*: May, 205–206
Endomyocardial biopsy, for diagnosis of myocarditis, guidelines for, *1984*: Nov., 654–655
myocarditis and, *1984*: Nov., **647–656**
Endotracheal intubation, in CPR, *1984*: May, 154, 156
Endotracheal tube, positioning of, complications of, radiologic assessment of, *1983*: Nov., 722–724
radiologic assessment of, *1983*: Nov., 721–722
EOA. See *Esophageal obturator airway.*
Eosinophils, role of in causing coronary artery dissection, *1984*: Nov., 636–637

Esophageal obturator airway, in CPR, *1984*: May, 154, 156
Esophageal spasm, as cause of chest pain, *1984*: May, 264
Esophagitis, reflux, as cause of chest pain, *1984*: May, 264
Esophagus, rupture of, as cause of chest pain, *1984*: May, 264
Ethmozine, for ventricular arrhythmias, *1984*: Feb., 40–41
Excitability, and sympathetic neural influences, *1983*: Feb., 55
supernormal, in normal cardiac tissues, *1983*: Feb., 76–77
mechanisms, *1983*: Feb., 89–90
Exercise, adaptive capacity to, exercise testing for, *1984*: Aug., 410
arteriovenous oxygen difference response to, *1984*: Aug., 468
blood pressure response to, *1984*: Aug., 312
cardiac output response to, *1984*: Aug., 467–468
dynamic, normal response to, *1984*: Aug., 467–471
electrocardiographic response to, *1984*: Aug., 312. See also *Electrocardiography, exercise.*
heart rate response to, *1984*: Aug., 469
normal ventricular response to, *1984*: Aug., 374
pulmonary arterial pressure response to, *1984*: Aug., 469
stroke volume response to, *1984*: Aug., 469
S-T segment response to, *1984*: Aug., 313–314. See also *S-T segment changes, exercise-induced.*
Exercise capacity, after myocardial infarction, prognosis and, *1983*: Feb., 73
Exercise echocardiography, *1984*: Aug., **429–439.** See also *Echocardiography, exercise.*
Exercise electrocadiography. See under *Electrocardiography.*
Exercise physiology, *1984*: Ang., 429
Exercise prescription, functional exercise testing for, *1984*: Aug., 409
Exercise radionuclide angiography, in assessing coronary artery disease, *1984*: Aug., 373–375
Exercise radionuclide ventriculography. See *Radionuclide ventriculography.*
Exercise R-wave amplitude, *1984*: Aug., 420
Exercise testing, after myocardial infarction, detection of ventricular arrhythmias during, *1984*: Feb., 6–7
atrial tachycardia on, *1984*: Aug., 361
blood pressure response to, *1984*: Aug., 312, 314, 355–356
clinical, symposium on, *1984*: Aug., **311–478**
clinical applications of, *1984*: Aug., 311
conduction abnormalities with, in asymptomatic subjects, *1984*: Aug., 425
coronary arteriography and, studies of, *1984*: Aug., 339–340
effect of cardiac pacing on, *1984*: Aug., 365
efficacy of, determining, *1984*: Aug., 311
electrocardiographic lead systems for, sensitivity and specificity of, *1984*: Aug., **329–335**
for functional evaluation, *1984*: Aug., 403–412
functional vs. diagnostic use of, principles of, *1984*: Aug., 409
heart rate response to, *1984*: Aug., 312, 356–357
in angina pectoris, *1984*: Aug., 339, 357
in arterial occlusive disease of leg, *1984*: Aug., **449–454**
in asymptomatic subjects, *1984*: Aug., 416–418
in coronary artery disease, *1984*: Aug., 338. See also under *Coronary artery disease.*
in early period after myocardial infarction, evaluation of prognosis and, *1984*: Feb., **71–77**
in evaluation of cardiovascular function, *1984*: Aug., **403–413**
in hypotensive patient, *1984*: Aug., 315, 356
in prediction and prognosis of multivessel coronary artery disease, *1984*: Aug., 381–383
in screening for ischemic heart disease, *1984*: Aug., 416
interpretation of, *1984*: Aug., 311–316
Bayes' theorem and, *1984*: Aug., **318–328**
physiologic signs and symptoms and, *1984*: Aug., **355–358**
intraventricular conduction abnormalities and, *1984*: Aug., 362–365
invasive, *1984*: Aug., **467–478**
in Wolff-Parkinson-White syndrome, *1984*: Aug., 362
junctional depression in, *1984*: Aug., 344–345
nonstandard, *1984*: Aug., 410
overview of, *1984*: Aug., **311–317**
parameters of, with prognostic implications, *1984*: Feb., 72–75
predictive value of, *1984*: Aug., 314–315
predischarge, *1984*: Feb., 107–108
pulmonary, *1984*: Aug., **455–465**
radionuclide, for coronary artery disease, *1984*: Aug., **367–378**
reproduction of chest pain on, *1984*: Aug., 357–358
response of atrial fibrillation to, *1984*: Aug., 362
safety of, factors contributing to, *1984*: Aug., 311
screening and reproducibility in asymptomatic subjects, *1984*: Aug., 415–**428**
sensitivity and specificity of, *1984*: Aug., 314–315
S-T segment changes in, *1984*: Aug., **337–347.** See also *S-T segment changes.*
supraventricular arrhythmias and, *1984*: Aug., 361–362
treadmill, application of Bayesian probability analysis to, *1984*: Aug., 322–324
sensitivity and specificity of, *1984*: Aug., 325
ventricular arrhythmias on, *1984*: Aug., 359–361
vs. ambulatory electrocardiography, for detection of ventricular ectopic depolarizations, *1984*: Feb., 6–7
Exercise thallium-201 scintigraphy. See *Thallium-201 scintigraphy, exercise.*
Exercise time, total, *1984*: Aug., 312
Exercise training, endurance, physiologic adaptations to, *1984*: Feb., 64–66
in coronary artery disease, principles of, *1984*: Feb., 66–68
Exsanguination, in penetrating cardiac injury, *1984*: May, 243

Fascicular blocks, isolated, as complication of myocardial infarction, *1984*: Feb., 87
Fat, subepicardial. See *Subepicardial fat.*
FDG tracer, in positron CT evaluation of myocardial metabolism, *1983*: Aug., 508–509
kinetic models of, *1983*: Aug., 504
Fibrillation, atrial. See *Atrial fibrillation.*
ventricular. See *Ventricular fibrillation.*
Fitness, cardiorespiratory, classification of, *1984*: Aug., 406
Flecainide, for ventricular arrhythmias, *1984*: Feb., 39–40; May, 175–178, 179
Fluoroscopy, cardiac, of coronary artery calcification, *1983*: Nov., 575–584
Food interactions, hypertensive crisis and, *1984*: May, 217
Forced vital capacity, spirometric assessment of, *1984*: Aug., 457
Free fatty acids, C-11 palmitate tracer of, in positron CT, *1983*: Aug., 508
Functional aerobic impairment, *1984*: Aug., 312, 404
Functional subtraction, digital angiography and, *1983*: Aug., 415–416

Functional subtraction, digital angiography and, *1983*: Aug., 415–416

Gating, computed tomography and, *1983*: Aug., 459–462
NMR imaging and, *1983*: Aug., 528
radionuclide studies and, *1983*: Aug., 442, 444
Graham Steell murmur, radiographic appearance of, *1983*: Nov., 617, 622
Gravitational shift test, and radiographic detection of lung water, *1983*: Nov., 741

Head injury, hypertension and, *1984*: May, 218
Heart. See also entries under *Cardiac*.
aged 90 years or more, cardiovascular disease in, *1984*: Nov., 768–778
anatomic position of, *1984*: Nov., 485–490
at autopsy, tomographic analysis of, anatomic basis for, *1984*: Nov., **485–506**
chambers of, position of, *1984*: Nov., 485, 487–488
size of, echocardiographic determination of, *1984*: Nov., 509–510, 511–513
computed tomographic examination of, *1984*: Nov., **531–553**
dissection of. See *Cardiac dissection*.
effects of mediastinal radiotherapy on, *1984*: Nov., 667–668
effects of noncardiac neoplasms on, *1984*: Nov., **657–670**
effects of therapy for noncardiac tumors on, *1984*: Nov., 665–668
infections of. See *Cardiac infections*.
injuries to. See *Cardiac injury(ies)* and *Cardiac trauma*.
morphology of, symposium on, *1984*: Nov., **485–779**
motion of, echocardiographic determination of, *1984*: Nov., 511, 516
neoplasms of, CT detection of, *1984*: Nov., 541–546, 547
normal elderly, aging changes in, *1984*: Nov., 753–762
chambers of, morphologic changes in, *1984*: Nov., 754–756, 757, 761
weight of, *1984*: Nov., 761
old-age, *1984*: Nov., **753–779**
pericardium and, metastases to, *1984*: Nov., 658–659
rupture of, as complication of myocardial infarction, *1984*: Feb., 85–86
from nonpenetrating chest trauma, *1984*: May, 248–249
trauma to. See *Cardiac injury(ies)* and *Cardiac trauma*.
valentine, myth of, *1984*: Nov., 485, 489
valves of. See *Cardiac valve(s)* and specific valves.
vascular obstruction in, due to noncardiac neoplasm, *1984*: Nov., 659
Heart disease, acquired, clinical echocardiography in, *1984*: Nov., **507–529**
atherosclerotic, pathphysiology of, *1984*: Nov., **555–569**
carcinoid, *1984*: Nov., 664–665
cyanotic, *1983*: Nov., 700–704
hypertensive, analysis of by tomographic cardiac dissection, *1984*: Nov., 501
ischemic. See *Ischemic heart disease*.
neoplastic, analysis of by tomographic cardiac dissection, *1984*: Nov., 503
pericardial. See *Pericardial heart disease*.
valvular. See *Valvular heart disease*.
Heart rate, during exercise testing after myocardial infarction, prognosis and, *1984*: Feb., 72
in response to exercise, *1984*: Aug., 469
in response to exercise testing, *1984*: Aug., 312, 356–357
maximal predicted achieved, in exercise testing, *1984*: Aug., 311
Heart transplant, recipient of, atherosclerosis in, *1984*: Nov., 588
Heimlich maneuver, for choking, *1984*: May, 157–158
Herpes zoster, as cause of chest pain, *1984*: May, 265
His bundle, anatomy of, *1984*: Feb., 29–30
atrioventricular block and, *1983*: May, 209–210
His bundle activity, signal averaging of, *1983*: Feb., 116–117
His bundle block, *1983*: Feb., 26
Holter monitoring, *1983*: May, 293, 297
for assessment of risk of sudden cardiac death, *1984*: May, 174–175
Hydralazine, for hypertensive crisis, *1984*: May, 218, 222
for malignant hypertension, *1984*: May, 212
Hypertension, accelerated, *1984*: May, 211–213
acute left ventricular failure and, *1984*: May, 215
after acute myocardial infarction, *1984*: May, 168–169
as cause of acute aortic dissection, *1984*: May, 227–228
cerebrovascular accidents and, *1984*: May, 214–215
head injury and, *1984*: May, 218
malignant, *1984*: May, 211–213
precapillary, roentgen pattern of, *1983*: Nov., 560–562
pulmonary, as cause of chest pan, *1984*: May, 265
pulmonary edema and, *1984*: May, 215
pulmonary venous, *1983*: Nov., 552–560
and pulmonary edema, *1983*: Nov., 553–560
plain film signs of, *1983*: Nov., 556–559
severe, ischemic heart disease and, *1984*: May, 216
Hypertensive crisis, *1984*: May, **211–225**
categorization of, *1984*: May, 211
drug and food interactions and, *1984*: May, 217
drugs for, *1984*: May, 218–223
in quadriplegics, *1984*: May, 217–218
monoamine oxidase inhibitors and, *1984*: May, 217
postoperative, *1984*: May, 217
treatment of, complications of, *1984*: May, 223
effects on renal function, *1984*: May, 223
Hypertensive encephalopathy, *1984*: May, 213–214
Hypertensive heart disease, analysis of by tomographic cardiac dissection, *1984*: Nov., 501
Hypertrophic cardiomyopathy, as cause of chest pain, *1984*: May, 262–263
Hypocalcemia, exercise-induced S-T segment changes and, *1984*: Aug., 350
Hypokalemia, exercise-induced S-T segment changes and, *1984*: Aug., 350
Hypotension, response to exercise testing in, *1984*: Aug., 315, 356

ICU chest film, cardiac vs. pulmonary disease, *1983*: Nov., **729–743**
cardiopulmonary monitoring and assist devices, *1983*: Nov., **711–727**
Idiopathic autonomic dysfunction, as cause of chest pain, *1984*: May, 266
Imipramine, for ventricular arrhythmias, *1984*: Feb., 43–44
Immobilization, after myocardial infarction, physiologic consequences of, *1984*: Feb., 63–64
Impulses, formation of, abnormal, *1983*: Feb., 3–6
interactions between abnormal formation and propagation of, *1983*: Feb., 8–10
propagation of, abnormal, *1983*: Feb., 6–8
sodium current and, *1983*: Feb., 6–7

Indecainide, for ventricular arrhythmias, *1984*: May, 179
Inexcitable gap, transmission across, *1983*: Feb., 39, 40, 42, 49
Infarct, myocardial. See *Myocardial infarction.*
Infarction, acute right ventricular, *1984*: May, 166
myocardial. See *Myocardial infarction.*
Infections, cardiac. See *Cardiac infections.*
Inotropic agents, for myocardial infarction, effects of, *1984*: Feb., 79–80
Interventricular septum, rupture of, as complication of acute myocardial infarction, *1984*: May, 166
from nonpenetrating chest trauma. *1984*: May, 249
Intracardiac recordings, atrioventricular block, *1983*: May, 207–208
Intraventricular conduction abnormalities, effect on exercise testing, *1984*: Aug., 362, 368
Intubation, endotracheal, in CPR, *1984*: May, 154, 156
Invasive exercise testing, *1984*: Aug., **467–478**
Ischemia, effects of on myocardium, *1984*: Nov., 558
myocardial. See *Myocardial ischemia.*
residual, prognosis after myocardial infarction and, *1984*: Feb., 71–72
symptoms of, after myocardial infarction, *1984*: May, 169–170
Ischemic attack, transient. See *Transient ischemic attack.*
Ischemic cardiomyopathy, *1984*: Nov., 566, 567
Ischemic heart disease, ambulatory ECG monitoring in, S-T segment changes on, *1984*: Aug., 443–445
analysis of by tomographic cardiac dissection, *1984*: Nov., 499
CT detection and evaluation of, *1984*: Nov., 546–547
exercise training in, goals of, *1984*: Feb., 63
radionuclide ventriculography in, *1984*: Aug., 373–374
screening for, exercise testing in, *1984*: Aug., 416
severe hypertension and, *1984*: May, 216
Isometric exercise, echocardiography during, *1984*: Aug., 437–438

Jaw thrust, for airway opening in CPR, *1984*: May, 154, 155
Junctional premature beats, on exercise testing, *1984*: Aug., 361

Kattus test, for exercise prescription, *1984*: Aug., 409
Kent bundles, *1983*: Feb., 27, 29
Keratopathy, verticillate epithelial, due to amiodarone, *1984*: Feb., 37
Kerley lines, *1983*: Nov., 557–558
Kidneys, function of, effects of hypertension therapy on, *1984*: May, 223

Labetalol, for hypertensive crisis, *1984*: May, 222
Lactate metabolism, C-11 tracer in, *1983*: Aug., 511, 513
Laser energy, effects of on biologic tissue, *1984*: Nov., 623–630
principal properties of, *1984*: Nov., 621–623
Laser-heated cautery cap, effects of on revascularization morphology, *1984*: Nov., 629–630
Laser radiation, effects of on morphology of human coronary atherosclerosis, *1984*: Nov., **621–631**
of atherosclerotic coronary vessels, effects of on underlying vascular wall, *1984*: Nov., 626–627, 628
of coronary atherosclerotic plaque, consequences of, *1984*: Nov., 624–626, 627, 628
recanalization of coronary vessels by, results of, *1984*: Nov., 624
resistance of heavily calcified atherosclerotic plaque to, *1984*: Nov., 625
revascularization with long-term healing response to, *1984*: Nov., 627, 629
Lasers, types currently used in medicine, *1984*: Nov., 623
Late potentials, ventricular tachycardia and, *1983*: Feb., 111–116
antiarrhythmic drug therapy of, *1983*: Feb., 115
Lead systems, electrocardiographic, for exercise testing, *1984*: Aug., **329–335**
Left atrial appendage, enlarged, plain film diagnosis of rheumatic valve disease and, *1983*: Nov., 603–605
Left bundle branch block, concealed conduction, *1983*: Feb., 70
Left ventricular dysfunction, after myocardial infarction, prognosis and, *1984*: Feb., 106–107
Left ventricular ejection fraction, estimation of, *1983*: Aug., 489
Left ventricular end-diastolic dimension, *1983*: Aug., 487
Left ventricular end-diastolic pressure, during exercise, *1984*: Aug., 471
Left ventricular function, effects of surgical reperfusion on, *1984*: Feb., 115–118
Left ventricular hypertrophy, exercise-induced S-T segment changes with, interpretation of, *1984*: Aug., 349
Left ventricular outflow tract, cineangiography of, *1983*: Aug., 402
Left ventricular pressure overload, exercise-induced S-T segment changes and, *1984*: Aug., 350
Left ventricular volumes, estimation of, *1983*: Aug., 489–490
Left ventricular wall stress, determination of by echocardiography, *1983*: Aug., 490
Leg, arterial occlusive disease of, exercise testing in, *1984*: Aug., **449–454**
Leukocytic infiltrate, as histologic hallmark of myocarditis, *1984*: Nov., 650–651
Levocardia, ultrasonic apical four-chamber view of, *1983*: Aug., 477
Lidocaine, for ventricular arrhythmias, *1984*: May, 175–179
Lorcainide, for ventricular arrhythmias, *1984*: May, 179
Lung(s), gas exchange function of, *1984*: Aug., 458
tumor emboli from, cardiac effects of, *1984*: Nov., 659–660
Lung gases, expired, direct measurement of, *1984*: Aug., 405
Lung water, extravascular, in pulmonary edema, *1984*: May, 186

Mahaim fibers, *1983*: Feb., 27, 30
Malignancy(ies). See *Neoplasm(s)* and *Tumor(s).*
Marathon time, exercise testing for, *1984*: Aug., 410, 411
Marfan's syndrome, coronary artery dissection in, *1984*: Nov., 638–640
Mask mode subtraction, digital angiography and, *1983*: Aug., 415
Maximal aerobic power, *1984*: Aug., 404
Maximal heart rate (MHR), exercise testing and, *1984*: Aug., 311
Maximal oxygen consumption, exercise testing and, *1984*: Aug., 312, 404
Mediastinum, radiotherapy of, cardiac effects of, *1984*: Nov., 667–668
Metabolism, positron tracers of, *1983*: Aug., 502
Metastasis(es), lymphangitic, to lung, *1983*: Nov., 740–741
to heart and pericardium, *1984*: Nov., 658–659
METs, for convalescent cardiac patients, *1984*: Aug., 408
total, in exercise testing, *1984*: Aug., 312

Mexiletine, antiarrhythmic effects of, *1983*: May, 316–317
for ventricular arrhythmias, *1984*: Feb., 41–42; May, 175–178
Minoxidil, for hypertensive crisis, *1984*: May, 222
for malignant hypertension, *1984*: May, 212
Mitral regurgitation, acute, as complication of acute myocardial infarction, *1984*: May, 166–167
pure, causes of, *1984*: Nov., 689, 700, 702, 706–713
response to exercise and, *1984*: Aug., 429
severe, in cardiogenic shock after myocardial infarction, *1984*: Feb., 82
Mitral stenosis, causes of, *1984*: Nov., 689, 697, 699
echocardiographic detection of, *1984*: Nov., 521, 524
vs. regurgitation, *1983*: Nov., 609–611
Mitral valve, calcification and, *1983*: Nov., 608
contours of, echocardiographic determination of, *1984*: Nov., 520, 521
disorders of, echocardiographic detection of, *1984*: Nov., 521, 524–526
injury to, from nonpenetrating chest trauma, *1984*: May, 249
prolapse of, *1983*: Nov., 692
as cause of chest pain, *1984*: May, 263
echocardiographic detection of, *1984*: Nov., 521, 526
regurgitant. See *Mitral regurgitation*.
rheumatic disease of, *1983*: Nov., 597–613
stenosis of. See *Mitral stenosis*.
Mitral valve anulus, calcium deposits in, in elderly heart, *1984*: Nov., 755, 757, 761
Mönckeberg's medial sclerosis, vs. calcification, *1983*: Nov., 579
Monitoring, ambulatory electrocardiographic, for assessment of risk of sudden cardiac death, *1984*: May, 174–175
Holter, for assessment of risk of sudden cardiac death, *1984*: May, 174–175
Morphine, for pulmonary edema, *1984*: May, 187, 189
Muscles, adaptation to endurance exercise training and, *1984*: Feb., 66
Mycotic aneurysm, radiologic findings in, *1983*: Nov., 641
Myeloma, cardiac amyloidosis associated with, *1984*: Nov., 662–664
Myocardial blood flow, positron CT of, *1983*: Aug., 505–507
Myocardial bridges, angiographic and morphologic correlation in, *1984*: Nov., 588
Myocardial contusion, from nonpenetrating chest trauma, *1984*: May, 250–253
Myocardial disease, invasive exercise testing in, *1984*: Aug., 471–472
nonatherosclerotic, in hearts aged 90 years or more, *1984*: Nov., 776, 777
Myocardial infarction, acute, acute mitral regurgitation as complication of, *1984*: May, 166–167
atrioventricular conduction disorders in, *1984*: Feb., **29–34**
pacing for, *1984*: Feb., 32–33
beta-blocker treatment in, *1984*: Feb., 13–14
bradyarrhythmias in, pacing for, *1984*: Feb., 33
cardiac tamponade as complication of, *1984*: May, 166
cardiogenic shock after, differential diagnosis of, *1984*: May, 165–166
chest radiography of, *1983*: Nov., 584–588
complications and, *1983*: Nov., 588, 589, 594
pulmonary venous hypertension and, *1983*: Nov., 586–587
complications of, *1984*: Feb., **79–94**, May, **163–171**
coronary artery atherosclerosis and, *1984*: May, 163
determinants of clinical outcome after, *1984*: Nov., 560–563
early phases of, *1984*: Nov., 558–559
echocardiography in, *1984*: Feb., **123–134**
hemodynamic alterations during, *1984*: May, 164–165
hypertension after, *1984*: May, 168–169
left ventricular function and, *1984*: May, 164–165
pacing in, indications for, *1984*: Feb., 33
prostacyclin and, *1984*: May, 164
prostaglandins and, *1984*: May, 164
pump failure and cardiogenic shock after, *1984*: May, 165–168
role of collateral circulation in determining clinical outcome of, *1984*: Nov., 562–563
rupture of interventricular septum as complication of, *1984*: May, 166
site of, as determinant of clinical outcome, *1984*: Nov., 560–562
size of, as determinant of clinical outcome, *1984*: Nov., 560
thromboxane A_2 and, *1984*: May, 164
transmurality of, as determinant of clinical outcome, *1984*: Nov., 562
ambulatory electrocardiography after, role of, *1984*: Feb., 3–5
angina pectoris after surgical reperfusion for, classification of, *1984*: Feb., 118–119
anterior, vs. inferior, prognosis and, *1984*: Feb., 100–101
vs. posterior, prognosis and, *1984*: Feb., 23–24
anterior necrosis in, *1984*: Feb., 51
anterior transmural, mortality and, *1984*: Feb., 114, 115
surgical reperfusion for, *1984*: Feb., 116
as cause of chest pain, *1984*: May, 259
atrioventricular block in, *1984*: Nov., 744–745
with bundle branch block, *1984*: Feb., 31
without bundle branch block, *1984*: Feb., 30
beta-blocker therapy after, patient selection for, *1984*: Feb., 18
bundle branch block in, *1984*: Feb., 30–31
cardiac rehabilitation after, *1984*: Feb., **63–69**
cause of, *1984*: Nov., 559
chronic beta-blocker therapy after, *1984*: Feb., 14–17
complex ventricular tachyarrhythmias after, prognosis and, *1984*: Feb., 107
complications of, *1984*: Nov., 563–565
echocardiographic detection of, *1984*: Feb., 128–131; Nov., 516–520
conduction system disease and, prognosis and, *1984*: Feb., 31–32
correlative electrocardiographic studies in, *1984*: Feb., **47–62**
echocardiograms in, *1984*: Nov., 510–511, 514–515
echocardiographic diagnosis of, *1984*: Feb., 125–126
effects of autonomic tone and arrhythmias, *1983*: May, 173–175
electrophysiologic testing after, *1984*: Feb., 7–10
exercise-induced S-T segment elevation after, *1984*: Aug., 384
exercise-induced ventricular arrhythmias after, *1984*: Aug., 383–384
exercise testing after, detection of ventricular arrhythmias during, *1984*: Feb., 6–7
prognosis and, *1984*: Feb., 72–75
exertional angina pectoris after, prognosis and, *1984*: Feb., 107
extension of, *1984*: May, 169–170
as complication, *1984*: Nov., 563
high-risk factors after, *1984*: Aug., 380, 391
immobilization after, physiologic consequences of, *1984*: Feb., 63–64
incomplete, electrocardiographic evidence of, *1984*: Feb., 53–55
pathogenesis of, *1984*: Feb., 48

inferior, acute, with and without precordial S-T segment depression, mortality after, *1984*: Aug., 387
anterior vs., prognosis and, *1984*: Feb., 100–101
early anterior ST depression during, significance of, *1984*: Feb., 55–57
electrocardiographic studies in, *1984*: Feb., 57–60
inotropic agents for, effects of, *1984*: Feb., 79–80
ischemic symptoms after, *1984*: May, 169–170
left ventricular dysfunction after, prognosis and, *1984*: Feb., 106–107
left ventricular involvement in, echocardiographic evaluation of, *1984*: Feb., 126–127
morbidity and mortality after, effects of exercise training on, *1984*: Feb., 66
mortality after, exercise testing as predictor of, *1984*: Feb., 75–76
with conventional therapy or surgical reperfusion, *1984*: Feb., 114–115
natural history after, *1984*: Aug., 380–381
necrosis after, extent of, determination of, *1984*: Feb., 113–114
non-Q-wave, *1984*: Feb., 48–49
predischarge exercise testing in, *1984*: Aug., 384
Q-wave vs., *1984*: Feb., 24–26
prognosis and, *1984*: Feb., 99–100
nontransmural, *1984*: Feb., 24–26
prognosis after, *1984*: Feb., 107
transmural vs., prognosis and, *1984*: Feb., 99–100
pathogenic role of thrombus in, *1984*: Nov., 583, 584
pathophysiology of, *1984*: May, 163–164
pericarditis after, *1984*: May, 170
phantom, electrocardiographic evidence of, *1984*: Feb., 53–55
posterior, anterior vs., prognosis and, *1984*: Feb., 23–24
electrocardiographic studies in, *1984*: Feb., 57, 58
predischarge exercise electrocardiography after, *1984*: Aug., **379–390**
prognosis after, echocardiographic assessment of, *1984*: Feb., 127
evaluation of, *1984*: Feb., 71–72
by early exercise testing, *1984*: Feb., **71–77**
symposium on, *1984*: Feb., **3–146**
Q-wave, *1984*: Feb., 48–49
anterior, *1984*: Feb., 50–53
vs. non–Q-wave, *1984*: Feb., 24–26
prognosis and, *1984*: Feb., 99–100
radionuclide exercise testing after, predictive value of, *1984*: Aug., **391–401**
radionuclide ventriculography after, *1984*: Aug., 392–396
remote dyssynergy after, echocardiographic detection of, *1984*: Feb., 127
repeat, prognosis after, *1984*: Feb., 99–100
right ventricular involvement in, *1984*: Feb., 24
echocardiographic detection of, *1984*: Feb., 128
role of surgical reperfusion in, *1984*: Feb., **113–122**
rupture of, as complication, *1984*: Nov., 563–564
size and locus of myocardial damage after, prognosis and, *1984*: Feb., **21–27**
size of, as determinant of acute and long-term prognosis, *1984*: Feb., **95–103**
determination of, *1984*: Feb., 21–22
enzymatic estimation of, *1984*: Feb., 22–24
prognosis and, *1984*: Feb., 96–99
propranolol effect on, *1983*: Feb., 52
sympathetic mechanisms and, *1983*: Feb., 52
vs. morphologic estimates, *1984*: Feb., 22–23
subendocardial, *1984*: Feb., 24–26
transmural vs., *1984*: Feb., 48–49
subendocardial lamellar, electrocardiographic studies in, *1984*: Feb., 49–50
sudden cardiac death after, *1984*: Feb., 8–9
reduction of by beta-blockers, *1984*: Feb., 17
thallium-201 scintigraphy and exercise electrocardiography in, prognostic use of, *1984*: Aug., 371–372, 396
transmural, *1984*: Feb., 24–26
vs. nontransmural, prognosis and, *1984*: Feb., 99–100
vs. subendocardial, *1984*: Feb., 48–49
treatment after, role of beta-blockers in, *1984*: Feb., **13–20**
vasodilators for, effects of, *1984*: Feb., 79–80
ventricular arrhythmias after, clinical significance of, *1984*: Feb., **3–11**
ventricular dysrhythmias after, prognosis and, *1984*: Feb., 101
ventricular extrastimulation after, *1984*: Feb., 7–10
ventricular tachycardia after, significance and characteristics of, *1984*: Feb., 4–5
Myocardial ischemia, coronary atherosclerosis and, *1984*: Nov., 557–558
detection of, ambulatory electrocardiography in, *1984*: Aug., 441, 447
exercise-induced, S-T segment depression in, *1984*: Aug., 349
pathophysiology of, *1984*: Nov., 557–558
reversible S-T segment shifts as manifestation of, validity of, *1984*: Aug., 441–443
sympathetic influences in, *1983*: Feb., **51–61**
beta receptors, *1983*: Feb., 53–54
cyclic AMP levels, *1983*: Feb., 54
infarct size, *1983*: Feb., 52
norepinephrine release, *1983*: Feb., 53
potassium ion concentration and, *1983*: Feb., 53
ventricular tachycardia and, *1983*: Feb., 55
isoproterenol infusion, *1983*: Feb., 58
Myocardial ischemic syndromes, as cause of chest pain, *1984*: May, 259–262
Myocardial metabolism, positron CT of, *1983*: Aug., 508–513
pathways in, *1983*: Aug., 514–516
Myocardial perfusion, positron CT evaluation of, *1983*: Aug., 513–514
Myocardial wall, dissection of, pseudoaneurysm due to, echocardiographic detection of, *1984*: Nov., 516, 518
thickness of, echocardiographic determination of, *1984*: Nov., 510, 513
Myocarditis, AV block in, *1984*: Nov., 745, 747
biopsy proof of, *1984*: Nov., 650–654
clinical proof of, *1984*: Nov., 648–650
diagnosis of, by endomyocardial biopsy, guidelines for, *1984*: Nov., 654–655
endomyocardial biopsy and, *1984*: Nov., **647–656**
healing of, *1984*: Nov., 654
Myocarditis Pathology Panel, recommendations of for diagnosis of myocarditis by endomyocardial biopsy, *1984*: Nov., 654–655
Myocardium, effects of ischemia on, *1984*: Nov., 558
in normal elderly heart, morphologic changes in, *1984*: Nov., 754, 760–761
motion of, echocardiographic determination of, *1984*: Nov., 511, 516
necrosis of, types of, after myocardial infarction, *1984*: Nov., 559–560
rupture of, echocardiographic detection of, *1984*: Nov., 519, 520
size and locus of damage to, after myocardial infarction, prognosis and, *1984*: Feb., **21–27**
uptake of thallium-201 by, *1984*: Aug., 368
Myocytolysis, after myocardial infarction, *1984*: Nov., 559–560

Necrosis, anterior, in myocardial infarction, *1984*: Feb., 51
coagulation, after myocardial infarction, *1984*: Nov., 559, 560
contraction band, after myocardial infarction, *1984*: Nov., 559, 560, 561
extent of, after myocardial infarction, determination of, *1984*: Feb., 113–114
myocardial. See *Myocardium, necrosis of.*
Neoplasm(s). See also *Tumor(s).*
cardiac, CT detection of, *1984*: Nov., 541–546, 547
simulation of pericardial effusion by on echocardiogram, *1984*: Nov., 545, 546, 547, 548
noncardiac, association of nonbacterial thrombotic endocarditis with, *1984*: Nov., 660–662
cardiac effects of, *1984*: Nov., **657–670**
direct, *1984*: Nov., 658–660
indirect, *1984*: Nov., 660–665
therapy for, cardiac effects of, *1984*: Nov., 665–668
pulmonary, emboli from, cardiac effects of, *1984*: Nov., 659–660
Neoplastic heart disease, analysis of by tomographic cardiac dissection, *1984*: Nov., 503
Neurohormonal changes, with endurance exercise training, *1984*: Feb., 66
Neurotoxicity, due to mexiletine, *1984*: Feb., 41
Nifedipine, for hypertensive crisis, *1984*: May, 223
Nitroglycerin, for pulmonary edema, *1984*: May, 191
Nitroprusside, for hypertensive crisis, *1984*: May, 218–220
for pulmonary edema, *1984*: May, 190–191
NMR. See *Nuclear magnetic resonance imaging.*
Norepinephrine release, potassium ion concentration and, *1983*: Feb., 53
Nuclear magnetic resonance imaging, blood flow in, *1983*: Aug., 532, 535
cardiac evaluation by, *1983*: Aug., **521–525**
cardiovascular imaging with, *1983*: Aug., **527–540**
detection of ischemic injury with, *1983*: Aug., 535, 538, 539
gating, *1983*: Aug., 528
Nuclear medicine techniques, cardiovascular, *1984*: Aug., 391–392

Occlusive disease, arterial, of leg, exercise testing in, *1984*: Aug., **449–454**
Outflow tract septum, status of, angled angiography of, *1983*: Aug., 378
Overcirculation, signs of, *1983*: Nov., 550
Oxygen consumption, evaluation of by pulmonary exercise testing, *1984*: Aug., 463
maximal, in exercise testing, *1984*: Aug., 312, 404
methods of predicting, *1984*: Aug., 404
Oxygen difference, arteriovenous, in response to exercise testing, *1984*: Aug., 468
Oxygen pulse, evaluation of by pulmonary exercise testing, *1984*: Aug., 463–464
Oxygen transport, measurement of, practical implications of, *1984*: Aug., 408
pulmonary, *1984*: Aug., 459–461

Pacemakers, *1983*: Feb., **93–106**
AAI, *1983*: Feb., 95
AAT, *1983*: Feb., 95
AOO, *1983*: Feb., 94
DDD, *1983*: Feb., 98
DVI, *1983*: Feb., 97
temporary and permanent, for atrioventricular conduction disorders during acute myocardial infarction, *1984*: Feb., 32–33
transvenous, *1983*: Nov., 717–720
positioning of pacing wire of, *1983*: Nov., 717–719
complications of, *1983*: Nov., 719–720
VAT, *1983*: Feb., 95, 96
VDD, *1983*: Feb., 95, 96, 97
VOO, *1983*: Feb., 94
VVI, *1983*: Feb., 95, 97
VVT, *1983*: Feb., 95
Pacing, asynchronous, *1983*: Feb., 93–94
atrioventricular sequential, after acute myocardial infarction, *1984*: Feb., 88–89
cardiac, effect on exercise testing, *1984*: Aug., 365
in acute myocardial infarction, indications for, *1984*: Feb., 33
synchronous, *1983*: Feb., 95–98
tachycardia and, *1983*: May, 339–342
temporary and permanent, for atrioventricular conduction disorders during acute myocardial infarction, *1984*: Feb., 32–33
Pacing wires, myocardial, radiologic assessment of, *1983*: Nov., 725
Papillary muscle(s), dysfunction of, as complication of myocardial infarction, echocardiographic detection of, *1984*: Feb., 129
injury to, from nonpenetrating chest trauma, *1984*: May, 249
rupture of, and myocardial infarction, radiographic detection of, *1983*: Nov., 589
as complication of myocardial infarction, echocardiographic detection of, *1984*: Feb., 129
Parasystole, *1983*: Feb., 44–46, 48
Patent ductus arteriosus, *1983*: Nov., 693–694
radiologic findings in, *1983*: Nov., 672, 682
Pediatric cardiac imaging, symposium on, *1983*: Aug., **359–540**
PEEP, for pulmonary edema, *1984*: May, 191–192
Percutaneous transluminal coronary angioplasty, as cause of coronary artery dissection, *1984*: Nov., 643–644
Pericardial disease, as cause of chest pain, *1984*: May, 263
Pericardial effusion. See also *Pericardial fluid.*
after myocardial infarction, echocardiographic detection of, *1984*: Feb., 128, 131
echocardiographic determination of, *1984*: Nov., 520–521, 522–523
echocardiographic simulation of by cardiac neoplasms, *1984*: Nov., 545, 546, 547, 548
Pericardial fluid. See also *Pericardial effusion.*
CT detection of, *1984*: Nov., 539–541
subepicardial fat vs., CT vs. echocardiographic differentiation of, *1984*: Nov., 533–536
Pericardial heart disease, analysis of by tomographic cardiac dissection, *1984*: Nov., 504
diagnosis of, by CT, *1984*: Nov., 531–546, 547
Pericardial tamponade, acute, in penetrating cardiac injury, *1984*: May, 240–243
Pericardiocentesis, for penetrating cardiac injuries, *1984*: May, 239–240, 244–246
Pericarditis, after myocardial infarction, *1984*: May, 170
as cause of chest pain, *1984*: May, 263
constrictive, vs. restrictive cardiomyopathy, CT differentiation of, *1984*: Nov., 537
due to mediastinal radiotherapy, *1984*: Nov., 667–668
peri-infarction, *1984*: Feb., 89–90
post-infarction, *1984*: Feb., 90
Pericardium, congenital defects of, *1983*: Nov., 691–692
heart and, metastases to, *1984*: Nov., 658–659
normal, CT of, *1984*: Nov., 532

rupture of, from nonpenetrating chest trauma, *1984*: May, 250
thickening of, CT measurement of, *1984*: Nov., 536–539, 540
Phentolamine, for hypertensive crisis, *1984*: May, 222
Phenytoin, for ventricular arrhythmias, *1984*: May, 175–179
Pheochromocytoma, cardiac disorders due to, *1984*: Nov., 662
Pheochromocytoma crisis, *1984*: May, 216–217
Phlebotomy, for pulmonary edema, *1984*: May, 187
Plaque, atheromatous, as cause of myocardial ischemia, *1984*: Nov., 555–556
atherosclerotic. See *Atherosclerotic plaque*.
Plasmapheresis, for pulmonary edema, *1984*: May, 187
Pleurisy, as cause of chest pain, *1984*: May, 265
Pneumomediastinum, as cause of chest pain, *1984*: May, 265
Pneumonia, as cause of chest pain, *1984*: May, 265
Pneumothorax, as cause of chest pain, *1984*: May, 265
Positive end-expiratory pressure, for pulmonary edema, *1984*: May, 191–192
Positron emission tomography, application in cardiovascular system, *1983*: Aug., **501–520**
Prazosin, for hypertensive crisis, *1984*: May, 222
Predictive accuracy, definition of, *1984*: Aug., 321
Pregnancy, morphologic changes in aorta and coronary arteries during, *1984*: Nov., 636
Premature beats, on exercise testing, *1984*: Aug., 361
Prevalence of disease, definition of, *1984*: Aug., 321
Probability analysis, Bayesian, basic concepts of, *1984*: Aug., 319–323
Procainamide, for ventricular arrhythmias, *1984*: May, 175–178
ventricular tachycardia and, *1983*: May, 262–263
Propafenone, antiarrhythmic effects of, *1983*: May, 317, 318
ventricular tachycardia and, *1983*: May, 264
Propranolol, for ventricular arrhythmias, *1984*: May, 175–178, 179–180
Prostacyclin, acute myocardial infarction and, *1984*: May, 164
Prostaglandins, acute myocardial infarction and, *1984*: May, 164
Provocation testing, diagnosis of block by, *1983*: May, 217–218
Pseudoaneurysm, due to incomplete cardiac rupture, *1984*: Feb., 85–86
due to myocardial wall dissection, echocardiographic detection of, *1984*: Nov., 516, 518
Pseudocoarctation, aortic, radiologic findings in, *1983*: Nov., 672
Psychotropic drugs, effect on exercise-induced S-T segment changes, *1984*: Aug., 351
PTCA. See *Percutaneous transluminal coronary angioplasty*.
Pulmonary arterial pressure, in response to exercise, *1984*: Aug., 469
Pulmonary artery(ies), craniocaudal angulation of projection and, *1983*: Aug., 396
idiopathic dilatation of, *1983*: Nov., 687, 691
Pulmonary blood flow, decreased, lesions with, cardiomegaly and, *1983*: Nov., 702–703
normal-sized heart and, *1983*: Nov., 700–701
increased, lesions with, *1983*: Nov., 700
Pulmonary capillary wedge pressure, during exercise, *1984*: Aug., 471
Pulmonary disease, chronic obstructive, radiographic appearance of, *1983*: Nov., 738
Pulmonary dynamics, radionuclide studies of, *1983*: Aug., 449, 453
Pulmonary edema, acute, *1984*: May, **183–200**
cardiac, radiographic appearance of, *1983*: Nov., 729–730
cardiogenic, noncardiogenic vs., *1984*: May, 185–187
clinical manifestations of, *1984*: May, 186–187
edema fluid in, characteristics of, *1984*: May, 185
hypertension and, *1984*: May, 215
noncardiac, radiographic appearance of, *1983*: Nov., 730
noncardiogenic, cardiogenic vs., *1984*: May, 185–187
pathophysiology of, *1984*: May, 183–185
treatment of, *1984*: May, 187–196
Pulmonary embolism, *1984*: May, **269–274**
as cause of chest pain, *1984*: May, 265
CPR and, *1984*: May, 159
Pulmonary exercise testing, *1984*: Aug., **455–465**
Pulmonary gas exchange, *1984*: Aug., 458
Pulmonary hypertension, as cause of chest pain, *1984*: May, 265
Pulmonary overcirculation, lesions associated with, *1983*: Nov., 692–700
Pulmonary toxicity, due to amiodarone, *1984*: Feb., 37
Pulmonary valve, rheumatic disease of, radiographic appearance of, *1983*: Nov., 617, 623
stenosis of, atrial septal defect and, *1983*: Nov., 704
overcirculation with, *1983*: Nov., 698–699
radiologic findings in, *1983*: Nov., 685
Pulmonary vascularity, decreased, *1983*: Nov., 563–564
plain chest radiograph and, *1983*: Nov., **545–573**
Pulmonary vasculature, abnormal, radiographic appearance of, *1983*: Nov., 551–564
normal, radiographic appearance of, *1983*: Nov., 547–550
Pulmonary venous hypertension, *1983*: Nov., 552–560
Pulmonary venous return, partial anomalous, *1983*: Nov., 694
Pulmonic valve, purely regurgitant, causes of, *1984*: Nov., 689, 703, 715
stenosis of, causes of, *1984*: Nov., 689, 700
Pump failure, cardiogenic shock and, after acute myocardial infarction, *1984*: May, 165–168
Purkinje fibers, conduction of impulses and, *1983*: Feb., 39, 40, 42

Quadriplegia, hypertensive crisis in, *1984*: May, 217–218
Quinidine, for ventricular arrhythmias, *1984*: May, 175–178
ventricular tachycardia and, *1983*: May, 262

Radionuclide angiography. See *Angiography, radionuclide*.
Radionuclide exercise testing, after myocardial infarction, predictive value of, *1984*: Aug., **391–401**
for coronary artery disease, *1984*: Aug., **367–378**
Radionuclide test(s), selection of in coronary artery disease, *1984*: Aug., 375–376
Radionuclide ventriculography, after myocardial infarction, *1984*: Aug., 392–396
exercise, relative sensitivity and specificity of, *1984*: Aug., 325
in differentiating, single vs. multivessel disease, *1984*: Aug., 394
in ischemic heart disease, *1984*: Aug., 373–374
Radiotherapy, mediastinal, cardiac effects of, *1984*: Nov., 667–668
Radiotracer techniques, in pulmonary edema, *1984*: May, 186
Reentry, supraventricular tachycardia and, *1983*: May, 223, 224–228

Reflection, arrhythmias and, *1983*: Feb., 7–8
Reflux esophagitis, as cause of chest pain, *1984*: May, 264
Regurgitation, aortic valve. See *Aortic valve, regurgitation of.*
mitral. See *Mitral regurgitation.*
Renal function, effects of hypertension therapy on, *1984*: May, 223
Reperfusion, surgical. See *Surgical reperfusion.*
Repetitive ventricular response testing, and serial drug testing, *1983*: May, 264–266
Rescue breathing, *1984*: May, 156–157
Respiratory mechanics, monitoring of, in pulmonary edema, *1984*: May, 192–193
Respiratory physiology, *1984*: Aug., 455–458
Revascularization, of coronary vessels, with laser radiation, long-term healing response to, *1984*: Nov., 627, 629
Rheumatic heart disease, plain chest radiography of, *1983*: Nov., **597–624**
Ribs, fractures of, in CPR, *1984*: May, 158–159
Right bundle branch block, concealed conduction and, *1983*: Feb., 71
supernormality in normal subjects, *1983*: Feb., 80
Right ventricular function, echocardiographic estimation of, *1983*: Aug., 497
Right ventricular systolic time intervals, echogram of, *1983*: Aug., 497
Right ventricular volume and ejection fraction, echocardiographic estimate of, *1983*: Aug., 497–498

SA node. See *Sinoatrial node.*
Scintigraphy, evaluation of adult respiratory distress syndrome and, *1983*: Nov., 742
radionuclide, in myocardial ischemic syndromes, *1984*: May, 261
thallium-201. See *Thallium-201 scintigraphy.*
Senile calcification syndrome, *1984*: Nov., 761
Sensitivity, definition of, *1984*: Aug., 320
Septum, interventricular, rupture of, as complication of acute myocardial infarction, *1984*: May, 166
from nonpenetrating chest trauma, *1984*: May, 249
Serum enzymes, in myocardial ischemic syndromes, *1984*: May, 261
Shock, cardiogenic. See *Cardiogenic shock.*
Shunt(s), left-to-right, detection of by digital angiography, *1983*: Aug., 421, 423
gamma variate method of quantitation of, 1983: Aug., 431–433
LTI model of, *1983*: Aug., 430–431
quantitation of, *1983*: Aug., 428–436
radionuclide evaluation of, *1983*: Aug., **427–439**
right-to-left, 1983: Aug., 435–436
Shunt lesions, imaging of, *1983*: Nov., 550–552
caliber of right lower pulmonary artery and, *1983*: Nov., 552
Sick sinus syndrome, *1983*: May, **185–205**
electrocardiographic manifestations of, *1983*: May, 187–188
evaluation of, *1983*: May, 188–196
pathologic perspective, *1983*: Feb., 17–19
provocative testing and diagnosis of, *1983*: May, 198–199
symptoms of, *1983*: May, 186
Signal averaging, clinical application of, *1983*: Feb., **109–119**
of His bundle activity, *1983*: Feb., 116–117
of sinus node activity, *1983*: Feb., 116–117
reduction of noise in ECG, *1983*: Feb., 109–110
high pass filter, *1983*: Feb., 110
Sinoatrial node, abnormalities of, *1983*: Feb., 16–19
Sinoatrial reentrant tachycardia, *1983*: May, 232
Sinus arrhythmia, pathology of, *1983*: Feb., 16
Sinus bradycardia, pathology of, *1983*: Feb., 16
Sinus node, disease of, *1983*: May, **185–205**
evaluation of automaticity, *1983*: May, 191
refractoriness of, *1983*: May, 195–196
sinoatrial conduction and, *1983*: May, 192–195
Sinus node activity, signal averaging of, *1983*: Feb., 116–117
Sinus of Valsalva, left, anomalous origin of right coronary artery from, *1984*: Nov., 583, 584
Sinus tachycardia, pathology of, *1983*: Feb., 16
Situs ambiguus, echocardiographic apical four-chamber view of, *1983*: Aug., 478
Situs inversus, *1983*: Nov., 704
Sodium bicarbonate, for cardiac arrest, *1984*: May, 159–160
Sotalol, for ventricular arrhythmias, *1984*: May, 180
Specificity, definition of, *1984*: Aug., 320
Spirometry, patterns of disease on, *1984*: Aug., 456–458
Sports, functional fitness testing for, *1984*: Aug., 409–410
Starling forces, pulmonary edema and, *1984*: May, 183–184
Stenosis, aortic valve. See *Aortic valve, stenosis of.*
mitral. See *Mitral stenosis.*
pulmonary valve. See *Pulmonary valve, stenosis of.*
subaortic, angled angiography of, *1983*: Aug., 385
axial angiography of, *1983*: Aug., 402–405
univentricular heart and, axial angiography of, *1983*: Aug., 406
subvalvular aortic, radiologic findings in, *1983*: Nov., 627, 632
supravalvular aortic, radiologic findings in, *1983*: Nov., 632–633
Streptokinase, resistance of intracoronary thrombus to, *1984*: Nov., 583, 586, 587
Stroke volume, in response to exercise, *1984*: Aug., 469
S-T segment, early anterior, depression of, during myocardial infarction, significance of, *1984*: Feb., 55–57
S-T segment changes, during exercise testing after myocardial infarction, prognosis and, *1984*: Feb., 73–74
exercise-induced, *1984*: Aug., **337–347**
after myocardial infarction, *1984*: Aug., 384
antiarrhythmic drugs and, *1984*: Aug., 351
beta-adrenergic blocking agents and, *1984*: Aug., 352
bundle branch block and, *1984*: Aug., 365
calcium channel blockers and, *1984*: Aug., 352
causes of, *1984*: Aug., 350–352
coronary disease and, *1984*: Aug., 313–314
diagnostic accuracy of, factors increasing, *1984*: Aug., 353
digitalis and, *1984*: Aug., 351
diuretics and, *1984*: Aug., 351
extent of disease and, *1984*: Aug., 340–341
factors masking, *1984*: Aug., 352
hypokalemia and, *1984*: Aug., 350
interpretation of, *1984*: Aug., 337–338
in asymptomatic subjects, *1984*: Aug., 416–418, 421–423
modifiers of, *1984*: Aug., **349–354**
pressure overload and, *1984*: Aug., 350
prognostic impact of, *1984*: Aug., 342–345
psychotropic drugs and, *1984*: Aug., 351
reversible, as manifestation of myocardial ischemia, *1984*: Aug., 441–443
true-positive vs. false-positive, *1984*: Aug., 418–421
S-T segment depression, exercise-induced, *1984*: Aug., 342–343
bundle branch block and, *1984*: Aug., 365

S-T segment elevation, on exercise testing, *1984*: Aug., 343–345
Subclavian steal syndrome, as cause of chest pain, *1984*: May, 266
Subepicardial fat, in normal elderly heart, *1984*: Nov., 760
pericardial fluid vs., CT vs. echocardiographic differentiation of, *1984*: Nov., 533–536
Subvalvular aortic stenosis, radiologic findings in, *1983*: Nov., 627, 632
Sudden cardiac death, *1984*: Nov., 566. See also *Cardiac arrest*.
after myocardial infarction, *1984*: Feb., 8–9
reduction of by beta-blockers, *1984*: Feb., 17
coronary heart disease and, *1984*: May, 174
risk factors for, assessment of, *1984*: May, 174–175
ventricular ectopic depolarizations and, *1984*: Feb., 3–4
ventricular fibrillation and, *1984*: May, 153
Supernormality, *1983*: Feb., **75–92**
Supravalvular aortic stenosis, radiologic findings of, *1983*: Nov., 632–633
Supraventricular arrhythmias, exercise-induced, *1984*: Aug., 361–362
Supraventricular tachycardia, clinical electrophysiology of, *1983*: May, **223–249**
atrial *1983*: May, 233–234
hemodynamic consequences of, *1983*: May, 238–240
reentry and, *1983*: May, 223, 224–228
sinoatrial reentrant tachycardia and, *1983*: May, 232
treatment of, *1983*: May, 240–247
Wolff-Parkinson-White syndrome and, *1983*: May, 228–232
paroxysmal, *1983*: May, 147, 149, 237–238
rate modulation, *1983*: May, 155–160
termination of, *1983*: May, 149–155
surgical therapy of, *1983*: May, 328–329
Surgical reperfusion, early, vs. late, effects on survival and, *1984*: Feb., 119–120
effects of, on left ventricular function, *1984*: Feb., 115–118
for myocardial infarction, angina pectoris after, classification of, *1984*: Feb., 118–119
role of, in myocardial infarction, *1984*: Feb., **113–122**
worldwide experience with, *1984*: Feb., 120–121
Syncope, nonbradycardic, 1983: May, 273
Syphilitic aneurysm, radiologic findings in, *1983*: Nov., 640–641
Systemic collateral arteries, as source of blood supply to pulmonary arteries, *1983*: Nov., 562–563

Tachyarrhythmias, complex, after myocardial infarction, prognosis and, *1984*: Feb., 107
pacing and transvenous cardioversion in, *1983*: May, **339–353**
Tachycardia, atrial, *1984*: May, 233–234
exercise-induced, 1984: Aug., 361
distinguishing types of, *1983*: May, 142–143
interactions between autonomic nervous system and, *1983*: May, **141–183**
changes in autonomic tone, *1983*: May, 145–146
pacing and, 1983: May, 339–342
supraventricular. See *Supraventricular tachycardia*.
transvenous cardioversion, *1983*: May, 342–343, 346–352
ventricular. See *Ventricular tachycardia*.
Tamponade, acute pericardial, in penetrating cardiac injury, *1984*: May, 240–243
cardiac, as complication of acute myocardial infarction, *1984*: May, 166
Tetralogy of Fallot, *1983*: Nov., 701–702
angled angiography of, *1983*: Aug., 378, 380–382
axial angiography of, *1983*: Aug., 399, 402
Thallium-201, myocardial uptake of, *1984*: Aug., 368
Thallium-201 scintigraphy, exercise, applications of, *1984*: Aug., 370–371
in coronary artery disease, *1984*: Aug., 368–373
prognostic use of, *1984*: Aug., 371, 396, 398
sensitivity and specificity of, *1984*: Aug., 369–370
in assessing myocardial perfusion after infarction, *1984*: Aug., 396–399
relative sensitivity and specificity of, *1984*: Aug., 325, 369–371
Thoracic aortic disease, analysis of by tomographic cardiac dissection, *1984*: Nov., 505
Thoracic outlet syndrome, as cause of chest pain, *1984*: May, 265–266
Thoracotomy, early, for penetrating cardiac injury, *1984*: May, 246
Thromboembolism, as complication of bioprosthetic cardiac valves, *1984*: Nov., 724–725
Thrombolysis, intracoronary thrombus and, *1984*: Nov., 583, 584–587
Thrombosis, coronary, as cause of acute myocardial infarction, *1984*: May, 164
mural, as complication of myocardial infarction, *1984*: Nov., 565
Thromboxane A_2, acute myocardial infarction and, *1984*: May, 164
Thrombus(i), intracavitary, CT detection of, *1984*: Nov., 549, 551
intracoronary, on angiography, *1984*: Nov., 583, 584–587
streptokinase-resistant, *1984*: Nov., 583, 586, 587
thrombolysis and, *1984*: Nov., 583, 584–587
mural, after myocardial infarction, echocardiographic detection of, *1984*: Feb., 131; Nov., 517, 518, 519
pathogenic role of in evolution of myocardial infarction, *1984*: Nov., 583, 584
Time interval difference subtraction, *1983*: Aug., 415
Tissue, biologic, effects of laser energy on, *1984*: Nov., 623–630
Tocainide, antiarrhythmic effects of, *1983*: May, 317
for ventricular arrhythmias, *1984*: Feb., 42; May, 175–178
Tomography, computed. See *Computed tomography*.
of heart at autopsy, anatomic basis for, *1984*: Nov., **485–506**
Tourniquets, rotating, for pulmonary edema, *1984*: May, 187
Tracheostomy tube, positioning of, radiologic assessment of, *1983*: Nov., 724
Transient ischemic attack, detection of, ambulatory ECG recordings in, *1984*: Aug., **441–448**
mechanism of, *1984*: Aug., 445–447
Transposition, of great vessels, corrected, *1983*: Nov., 699–700
Transtelephonic monitoring, 1983: May, 299–300
Transvenous pacemakers, *1983*: Nov., 717–720
Trauma, AV block due to, *1984*: Nov., 750
cardiac. See *Cardiac trauma*.
to thoracic aorta and great vessels, radiologic findings in, 1983: Nov., 651, 659
Treadmill exercise testing, Bayesian probability analysis and, 1984: Aug., 322–324
Tricuspid valve, Ebstein's anomaly of, *1983*: Nov., 703–704
regurgitation of, causes of, *1984*: Nov., 689, 704, 713–715
radiographic appearance of, *1983*: Nov., 616–617
stenosis of, causes of, *1984*: Nov., 689, 697, 700

Triggered activity, *1983*: Feb., 4–6
and afterdepolarization, delayed, *1983*: Feb., 5–6
Trimethaphan, for hypertensive crisis, *1984*: May, 218, 220–221
Tumor(s). See also *Neoplasm(s)*.
cardiac, as cause of AV block, *1984*: Nov., 748, 749
CT detection of, *1984*: Nov., 541–546, 547

Unicommissural aortic valve, stenosis of, *1983*: Nov., 625

Vagal maneuvers, treatment of tachycardia and, *1983*: May, 240–241
Vagal stimulation, termination of tachycardia and, *1983*: May, 149–150
Vagal tone, effects on ventricular arrhythmias, *1983*: May, 169–172
Valsalva maneuver, ventricular arrhythmias and, *1983*: May, 163–165
Valve(s), cardiac. See *Cardiac valve(s)* and specific valves.
Valvular heart disease, analysis of by tomographic cardiac dissection, *1984*: Nov., 500
as cause of chest pain, *1984*: May, 262–263
cardiac catheterization and exercise testing in, *1984*: Aug., 471
chronic, echocardiographic detection of, *1984*: Feb., 131
etiologic determination of, evaluation of operatively excised cardiac valves and, *1984*: Nov., **687–716**
in hearts aged 90 years or more, *1984*: Nov., 766, 767, 774, 776
Vascular access, for cardiac arrest, *1984*: May, 160–161
Vasculature, pulmonary, and mitral valve stenosis, radiographic appearance of, *1983*: Nov., 605–608
Vasodilators, for myocardial infarction, effects of, *1984*: Feb., 79–80
for pulmonary edema, *1984*: May, 190
VAT pacemaker, *1983*: Feb., 95, 96
VDD pacemaker, *1983*: Feb., 95, 96, 97
VEDs. See *Ventricular ectopic depolarizations*.
Vena cava, inferior, interruption with azygous continuation, *1983*: Nov., 705
superior, persistent, *1983*: Nov., 708
Ventilation, evaluation of by pulmonary exercise testing, *1984*: Aug., 462
mouth-to-mask, *1984*: May, 156
mouth-to-mouth, *1984*: May, 156–157
with bag-valve-mask device, *1984*: May, 156–157
Ventilator management, for pulmonary edema, *1984*: May, 191–193
Ventilatory defects, *1984*: Aug., 456
obstructive vs. restrictive, *1984*: Aug., 457
Ventricle(s), left, acute failure of, hypertension and, *1984*: May, 215
aneurysms of, as complication of myocardial infarction, echocardiographic detection of, *1984*: Feb., 129–130
dimensions of, measured by digital angiography, *1983*: Aug., 416–417
dysfunction of, after myocardial infarction, prognosis and, *1984*: Feb., 106–107
cardiogenic shock due to, management of, *1984*: May, 167–168
failure of, as complication of acute myocardial infarction, *1984*: Feb., 79–81
function of, acute myocardial infarction and, *1984*: May, 164–165
echocardiographic, prognostic indicators based on, *1984*: Nov., 520
hemodynamic and global, echocardiographic determination of, *1984*: Nov., 519–520
measured by digital angiography, *1983*: Aug., 419
prognosis after myocardial infarction and, *1984*: Feb., 71–72
hypertrophy and dilatation of, analysis of by tomographic cardiac dissection, *1984*: Nov., 501
hypertrophy of, after myocardial infarction, echocardiographic detection of, *1984*: Feb., 131
in normal elderly heart, morphologic changes in, *1984*: Nov., 754–756, 757, 761
involvement of in myocardial infarction, echocardiographic evaluation of, *1984*: Feb., 126–127
normal M-mode echocardiogram of, *1984*: Nov., 509
octant and pentant systems of nomenclature of, *1984*: Nov., 490
position of, *1984*: Nov., 485, 487–488
regions of, position of, *1984*: Nov., 490
right, double-outlet, axial angiography of, *1983*: Aug., 406, 408
involvement of in myocardial infarction, *1984*: Feb., 24
echocardiographic detection of, *1984*: Feb., 128
single, *1983*: Nov., 702
size of, echocardiographic determination of, *1984*: Nov., 509–510, 511–513
Ventricular aneurysm. See *Aneurysm, ventricular*.
Ventricular angiography, contraindications to, *1983*: Aug., 388, 389, 392
Ventricular arrhythmias, *1983*: Feb., 30, 34, 35
after myocardial infarction, clinical significance of, *1984*: Feb., **3–11**
exercise testing and, *1984*: Aug., 383–384
aggravation of, by amiodarone, *1984*: Feb., 37
benign, clinical presentation of, *1984*: May, 173
detection of, during exercise testing after myocardial infarction, *1984*: Feb., 6–7
drug therapy for, *1984*: May, 175–180
exercise-induced, *1984*: Aug., 359–362
after myocardial infarction, *1984*: Aug., 383–384
hemodynamic effects of, *1983*: May, 160–166
investigational antiarrhythmic drugs for, *1984*: Feb., **35–46**
lethal, clinical presentation of, *1984*: May, 174
potentially lethal, clinical presentation of, *1984*: May, 173–174
recognition and management of, *1984*: May, **173–182**
Ventricular compliance, echocardiographic evaluation of, *1983*: Aug., 496
Ventricular dysrhythmias, after myocardial infarction, prognosis and, *1984*: Feb., 101
Ventricular ectopic depolarizations, after myocardial infarction, prognostic significance of, *1984*: Feb., 3–7
detection of, exercise testing vs. ambulatory electrocardiography for, *1984*: Feb., 6–7
Ventricular ectopy, clinical presentation of, *1984*: May, 173
Ventricular extrastimulation, after myocardial infarction, *1984*: Feb., 7–10
Ventricular fibrillation, *1983*: Feb., 34, 35
amiodarone for, *1984*: Feb., 36–37
and serial drug testing, *1983*: May, 268
bretylium tosylate for, *1984*: May, 160
during programmed stimulation, *1983*: May, 281–282
sudden cardiac death and, *1984*: May, 153
Ventricular functional reserve, assessment of by exercise echocardiography, *1984*: Aug., 432
Ventricular hypertrophy, left, exercise-induced S-T segment changes in, interpretation of, *1984*: Aug., 349

Ventricular premature beats, exercise-induced, *1984*: Aug., 359
Ventricular rhythm disturbances, investigational antiarrhythmic drugs for, *1984*: Feb., **35–46**
Ventricular septal defect, *1983*: Nov., 696–697
  acquired, and myocardial infarction, radiographic appearance of, *1983*: Nov., 588–589
  angled angiography of, *1983*: Aug., 372
  anterior outflow tract septum in, angled angiography of, *1983*: Aug., 372
  axial angiography of, *1983*: Aug., 399
  in cardiogenic shock after myocardial infarction, *1984*: Feb., 82
  muscular, angled angiography of, *1983*: Aug., 373
  perimembranous, angled angiography of, *1983*: Aug., 372
  supracristal, angled angiography of, *1983*: Aug., 373
Ventricular septum, position of, *1984*: Nov., 485
  rupture of, as complication of myocardial infarction, echocardiographic detection of, *1984*: Feb., 128–129
  status of, angled angiography of, *1983*: Aug., 375
Ventricular tachyarrhythmias, complex, after myocardial infarction, prognosis and, *1984*: Feb., 107
Ventricular tachycardia, *1983*: Feb., 46, 48, 56, 58
  amiodarone for, *1984*: Feb., 36–37, 44
  clinical electrophysiology of, *1983*: May, **251–271**
    programmed ventricular stimulation, *1983*: May, 251–261
      extrastimuli and, *1983*: May, 252, 254, 256
      pacing site and, *1983*: May, 258–259
      termination of, *1983*: May, 259–261
    serial drug testing and, *1983*: May, 265–270
      induction of, *1983*: May, 266–267
  clinical presentation of, *1984*: May, 173–174
  late potentials and, *1983*: Feb., 111–116
  nonsustained, and serial drug testing, *1983*: May, 268
  paroxysmal sustained, clinical presentation of, *1984*: May, 174
  surgical therapy of, *1983*: May, 329–333
  sustained, electrophysiologic testing after myocardial infarction and, *1984*: Feb., 8
Ventricular walls, position of, *1984*: Nov., 489, 490
Ventriculography, radionuclide. See *Radionuclide ventriculography*.
Volume overload, response to exercise in, *1984*: Aug., 429
VOO pacemaker, *1983*: Feb., 94
VVI pacemaker, *1983*: Feb., 95, 97
VVT pacemaker, *1983*: Feb., 95

Wenckebach block, *1983*: May, 210–211
Wolff-Parkinson-White syndrome, *1983*: Feb., 27, 29, 30; May, 228–232
  exercise testing and, *1984*: Aug., 362
  surgical therapy of, *1983*: May, 321–328
Work capacity, in various subjects, *1984*: Aug., 312

Xiphodynia, as cause of chest pain, *1984*: May, 265